

CPVC-FGG-0608R2  
Effective: June 2, 2008  
Supersedes: CPVC-FGG-0107  
G.S.T. not included



CPVC-FGG-0608R2  
Date: 2 juin 2008  
Remplace: CPVC-FGG-0107  
TPS en sus

R2 revision done January 18, 2010; no price changes  
Révision R2 faite le 18 janvier 2010, aucun changement de prix



**CPVC FLOWGUARD GOLD**  
**Pressure fittings, CTS Pipe & Accessories**  
**Raccords à pression, Tuyaux et Accessoires**

<b>4700 CPVC-CTS PIPE TUYAUX CPVC DIAMÈTRE NOMINAL</b>			
<b>Part # Code</b>	<b>Size Diamètre</b>	<b>Carton Boîte</b>	<b>Price / 10" Prix / 10'</b>
4700	1/2" x 10'	50 x 10 ft/pied *	11.28
4700	3/4" x 10'	25 x 10 ft/pied *	18.68
4700	1" x 10'	16 x 10 ft/pied *	36.28
4700	1-1/4" x 10'	10 x 10 ft/pied *	49.71
4700	1-1/2" x 10'	7 x 10 ft/pied *	67.86
4700	2" x 10'	4 x 10 ft/pied *	121.21

\* Subject to a 10% surcharge for broken package quantities.

\* Un supplément de 10% s'appliquera sur les commandes pour quantité non-standard.

---

---

**NCI Marketing Inc.**

Headquarters & Warehouse  
66 Don Hillcock Drive  
Aurora, ON L4G 0H6



Vancouver Warehouse  
#103 - 19335 96th Avenue  
Surrey, BC V4N 4C4

T: (905)727-5545 T: 1-800-268-3509 F: (905)727-4088






	<b>Page</b>		<b>Page</b>
Adapters	3	Adaptateurs	3
Adapters, Swivel	6	Adaptateurs pivotant	6
Ball Valves	7	Brides de serrage	8
Bushings	3	Calfeutrant Ignifuge	8
Caps	4	Capuchons	4
Cement	8	Ciment	8
Clamps	8	Compression	6
Compression Fittings	6	Coudes	4
Couplings	4	Coudes, montage	5
Crossovers	8	Croisements	8
Elbows	4	Dévoiements	8
Elbows, Drop Ear	5	Étriers	5
Firestop	8	Manchons	4
Offsets	8	Outils	8
Straps	5	Réductions	3
Tees	6	Robinets	7
Tools	8	Tés	6
Unions	6, 7	Unions	6, 7






Most CPVC products listed in this price sheet have been CSA approved. Please call Customer Service for a specific listing.









La majorité des produits apparaissant sur cette liste sont homologués par l'ACNOR (CSA). Pour plus de détails, veuillez contacter le service à la clientèle.

NIBCO CPVC pipe and fittings meet ASTM D2846 requirements and are manufactured in copper tube sizes to SDR11. NIBCO CPVC pipe and fittings are listed with the National Sanitation Foundation under NSF Standard No. 14. CPVC systems, including the joints, are rated at a continuous working pressure of 100psi at 180°F and are able to withstand short-term exposure above rated temperature and pressure.

Les raccords et tuyaux CPVC fabriqués par NIBCO sont conformes à ASTM D2846 et sont disponibles en diamètre nominal SDR11. Ces produits sont également enregistrés sous le standard NSF No. 14. Les systèmes CPVC ont un taux de pression continu de 100 psi à 180°F. et peuvent résister à un rendement

	Size Diamètre	Price Prix	Box Boîte	Skid Palette
 <p><b>4703</b> <b>Female Adapter</b> <b>Adaptateur Femelle</b> <b>(SLIP x FIPT)</b></p>	1/2	2.74	25	500
	3/4	3.68	25	500
	1	4.11	10	100
	<hr/>			
 <p><b>4703-BT</b> <b>Adapter</b> <b>Adaptateur</b> <b>CPVC (SLIP) x BRASS (FIPT)</b></p>	1/2	6.81	50	
	3/4	8.18	100	
	1	20.34	18	
	1-1/4	49.74	6	
	1-1/2	67.20	6	
	2	98.52	6	
<hr/>				
 <p><b>4704</b> <b>Male Adapter</b> <b>Adaptateur Mâle</b> <b>(SLIP x MIPT)</b></p>	1/2	0.84	20	1000
	3/4	1.49	10	500
	1	5.58	10	100
	1-1/4	8.34	5	25
	1-1/2	10.29	5	25
	2	16.98	5	25
	<hr/>			
 <p><b>4704-BT</b> <b>Adapter</b> <b>Adaptateur</b> <b>CPVC (SLIP) x BRASS (MIPT)</b></p>	1/2	6.81	50	
	3/4	8.18	100	
	1	20.34	18	
	1-1/4	49.74	6	
	1-1/2	67.20	6	
	2	98.52	6	
<hr/>				
 <p><b>4718</b> <b>Bushings</b> <b>Réductions</b> <b>(SPG x SLIP)</b></p>	3/4 x 1/2	0.69	10	250
	1 x 1/2	3.21	10	100
	1 x 3/4	3.21	10	100
	1-1/4 x 1/2	4.25	5	25
	1-1/4 x 3/4	4.19	5	25
	1-1/4 x 1	4.19	5	25
	1-1/2 x 1/2	5.53	5	25
	1-1/2 x 3/4	5.53	5	25
	1-1/2 x 1	5.53	5	25
	1-1/2 x 1-1/4	5.53	5	25
	2 x 1/2	8.81	5	25
	2 x 3/4	8.81	5	25
	2 x 1	8.81	5	25
	2 x 1-1/4	8.81	5	25
	2 x 1-1/2	8.81	5	25
	<hr/>			

	Size Diamètre	Price Prix	Box Boîte	Skid Palette	
 <p><b>4718-T</b></p>	<b>Transition Bushings</b> <b>Bague de transition</b> <b>(SPG x SLIP)</b>				
		1 IPS x 1 CTS	3.86	10	100
		1-1/4 IPS x 1-1/4 CTS	4.90	5	25
		1-1/2 IPS x 1-1/2 CTS	6.06	5	25
		2 IPS x 2 CTS	7.06	5	25
 <p><b>4717</b></p>	<b>Cap</b> <b>Capuchon</b> <b>(SLIP)</b>				
		1/2	0.53	10	1000
		3/4	1.11	10	500
		1	2.45	10	100
		1-1/4	2.71	5	25
		1-1/2	4.95	5	25
		2	8.65	5	25
 <p><b>4701</b></p>	<b>Coupling</b> <b>Manchon</b> <b>(SLIP x SLIP)</b>				
		1/2	0.51	20	1000
		3/4	0.96	20	500
		3/4 x 1/2	1.11	10	250
		1	2.85	10	100
		1 x 3/4	3.21	10	100
		1-1/4	4.08	5	25
		1-1/2	5.96	5	25
		2	9.79	5	25
 <p><b>4701-T</b></p>	<b>Transition Coupling</b> <b>Manchon de transition</b> <b>(SLIP x SLIP)</b>				
		3/4 IPS x 3/4 CTS	3.89	25	500
		1 IPS x 1CTS	4.08	10	100
		2 IPS x 2 CTS	14.10	5	25
 <p><b>4706</b></p>	<b>Elbow 45°</b> <b>Coude 45°</b> <b>(SLIP x SLIP)</b>				
		1/2	0.76	20	500
		3/4	1.84	20	500
		1	4.30	10	100
		1-1/4	8.81	5	25
		1-1/2	13.88	5	25
	2	23.36	5	25	

		Size Diamètre	Price Prix	Box Boîte	Skid Palette
	<b>4706-2</b>	<b>Street Elbow 45° Coude raccord 45° (SPG x SLIP)</b>			
		1/2	1.59	20	500
		3/4	1.94	20	500
	<b>4707</b>	<b>Elbow 90° Coude 90° (SLIP x SLIP)</b>			
		1/2	0.68	20	1000
		3/4	1.25	20	500
		3/4 x 1/2	1.61	10	250
		1	3.59	10	100
		1-1/4	6.33	5	25
		1-1/2	10.18	5	25
		2	19.74	5	25
	<b>4707-2</b>	<b>Street Elbow 90° Coude raccord 90° (SPG x SLIP)</b>			
		1/2	0.76	10	500
		3/4	1.48	10	250
	<b>4707-3-5</b>	<b>90° Drop Ear Elbow with washer Coude de montage 90° avec rondelle (SLIP x FIPT)</b>			
		1/2	3.06	25	500
	<b>4707-5</b>	<b>90° Drop Ear Elbow Coude de montage 90° (SLIP x SLIP)</b>			
		1/2	1.69	25	500
	<b>4707-3-5B</b>	<b>90° Drop Ear Elbow Coude de montage 90° CPVC (SLIP) x BRONZE (FIPT)</b>			
		1/2	13.28	10	50
	<b>4707-3-5-6</b>	<b>90° Union Drop Ear Elbow Coude de montage 90° avec union CPVC (SLIP) x BRASS (FIPT)</b>			
		1/2	25.48	10	100
	<b>4724</b>	<b>"Snap-On" Strap Étrier</b>			
		1/2	0.16	100	2000
		3/4	0.20	100	2000






Size Diamètre	Price Prix	Box Boîte	Skid Palette
------------------	---------------	--------------	-----------------








**SWIVEL ADAPTERS**

**ADAPTATEURS À JOINT PIVOTANT**

For connecting CPVC pipe to faucets, showers, ice-maker valves, frostproof valves or any other 1/2" male MIPT threaded connection.









Pour joindre les tuyaux de CPVC à des robinets, des douches, des robinets pour machines à glace, des robinets anti-gel et tout autre raccord MIPT de 1/2".

	<b>4703-SW</b>	<b>Coupling Adapter Manchon adaptateur (SLIP x NPSM)</b>	1/2	2.84	25	250
	<b>4707-3SW</b>	<b>Elbow 90° Coude 90° (SLIP x NPSM)</b>	1/2	3.21	25	250
	<b>4799-SW</b>	<b>Swivel Replacement Rondelle de rechange</b>	1/2	0.49	5	25
	<b>4711</b>	<b>Tee Té (SLIP x SLIP x SLIP)</b>	1/2	0.81	20	1000
			3/4	1.60	20	500
			3/4 x 3/4 x 1/2	2.00	25	250
			3/4 x 1/2 x 3/4	2.51	25	250
			3/4 x 1/2 x 1/2	2.51	25	250
			1	4.53	10	100
			1 x 1 x 3/4	5.65	10	100
			1-1/4	12.89	5	25
			1-1/2	16.71	5	25
			1-1/2 x 1-1/2 x 1	22.25	5	25
			2	23.08	5	25
			2 x 2 x 1	31.89	5	25
	<b>4732-2</b>	<b>Compression Fitting Raccord compression (SPG)</b>	1/2	2.90	25	500
			3/4	3.70	10	100
	<b>4733</b>	<b>Union Union CPVC (SLIP) x BRASS (SOLDER)</b>	1/2	10.31	10	100
			3/4	13.59	10	50

		Size Diamètre	Price Prix	Box Boîte	Skid Palette
	<b>4733-3</b>	<b>Union</b>			
		<b>Union</b>			
		<b>CPVC (SLIP) x BRASS (FIPT)</b>			
		1/2	11.70	10	100
		3/4	13.28	10	50
		1	37.28	10	50
	<b>4733-4</b>	<b>Union</b>			
		<b>Union</b>			
		<b>CPVC (SLIP) x COPPER (MIPT)</b>			
		1/2	11.70	10	100
	<b>4733-7</b>	<b>Union</b>			
		<b>Union</b>			
		<b>CPVC (SLIP) x BRASS (COMP)</b>			
	<b>4770 <sup>1</sup></b>	<b>CPVC Ball Valve</b>			
		<b>Robinet CPVC</b>			
		<b>(SOCKET x SOCKET)</b>			
		1/2	14.96	40	---
		3/4	19.40	25	---
	<b>4776</b>	<b>Stop &amp; Waste Valve</b>			
		<b>Robinet arrêt/vidange</b>			
		<b>CPVC (SLIP) x CPVC (SLIP)</b>			
	<b>111-46-31</b>	<b>Dahl Valve 1/2" Female CPVCx3/8" OD Comp. Straight, Plated</b>			
		<b>Robinet Dahl 1/2" Femelle CPVCx3/8" Comp. droit , plaqué</b>			
	<b>211-46-31</b>	<b>Dahl Valve 1/2" Female CPVCx3/8" OD Comp. Angle, Plated</b>			
		<b>Robinet Dahl 1/2" Femelle CPVCx3/8" Comp. anglé, plaqué</b>			
		1/2 x 3/8	46.86	---	---
		1/2 x 3/8	46.86	---	---

<sup>1</sup> Not CSA Approved

<sup>1</sup> Non-approuvé CSA

		Size Diamètre	Price Prix	Box Boîte	Skid Palette	
	<b>627</b>	<b>Plastic Clamp Pipe Hanger</b> <b>Bride de serrage plastique</b>				
			1/2 (627-005)	0.58	---	1000
			3/4 (627-007)	0.66	---	1000
			1 (627-010)	0.66	---	400
			1-1/4 (627-012)	0.78	---	300
			1-1/2 (627-015)	0.96	---	500
		2 (627-020)	1.25	---	250	
	<b>629</b>	<b>Plastic Clamp Pipe Hanger - Double</b> <b>Bride de serrage plastique - double</b>				
			1/2 (629-005)	0.96	---	250
			3/4 (629-007)	0.96	---	250
	<b>640P / 640</b>	<b>Chamfering/Deburring Tool</b> <b>Outil de biseautage/débarbeur</b>				
			Up to/jusqu'à 1"	23.24	1	---
		Up to/jusqu'à 1-1/2"	52.50	1	---	
	<b>4788</b>	<b>Crossover - Type V</b> <b>Croisement - Type V</b>				
			1/2 (4788-005)	6.43	50	---
			3/4 (4788-007)	9.39	30	---
			1 (4788-010)	13.50	30	---
	<b>4789</b>	<b>Offset - Type S</b> <b>Dévoisement - Type S</b>				
			1/2 (4789-005)	6.04	50	---
			3/4 (4789-007)	8.81	30	---
			1 (4789-010)	8.81	30	---
	<b>GG266</b>	<b>Intumescent Firestop</b> <b>Calfeutrant Ignifuge Intumescent</b> <b>100 % Silicone</b>				
		298mL/10.1 oz	25.39	1	12	
	<b>MW300</b>	<b>Mineral Wool</b> <b>Laine Minérale</b>				
		4" x 4" x 4'	12.18	1	12	
	<b>SC-47</b>	<b>One-Step FlowGuard Gold Cement</b> <b>Ciment FlowGuard Gold une étape</b>				
		473ml	22.16	1	24	



**METAL VALVES**

BRONZE & IRON GATE, GLOBE & CHECK VALVES  
FORGED STEEL GATE, GLOBE & CHECK VALVES  
CAST STEEL GATE, GLOBE & CHECK VALVES  
STAINLESS STEEL GATE, GLOBE & CHECK VALVES  
BRONZE BALL & BUTTERFLY VALVES  
CARBON STEEL BALL & BUTTERFLY VALVES  
STAINLESS STEEL BALL & BUTTERFLY VALVES  
D.I. & C.I. BUTTERFLY VALVES  
ACTUATORS & CONTROLS  
BRASS PLUMBING & HEATING VALVES

**GROOVED FITTINGS**

COOPLOK GROOVED PIPE FITTINGS  
- FLEXIBLE & RIGID COUPLINGS

**METAL FITTINGS**

COPPER FITTINGS  
COPPER PRESS SYSTEM FITTINGS & VALVES  
THREADED BRONZE FITTINGS  
BRASS NIPPLES  
BLACK & GALVANIZED MALLEABLE IRON FITTINGS 150#  
BLACK MALLEABLE IRON FITTINGS 300#  
HIGH PRESSURE SCH 40 SEAMLESS STEEL NIPPLES

**PLASTIC FITTINGS**

ABS-DWV FITTINGS  
CPVC-CTS FGG PVF  
PVC SCH40 WHITE FITTINGS & VALVES  
ACORN PUSH-FIT FITTINGS

**THERMOPLASTIC**

CHEMTROL PVF  
- PVC SCH80 VALVES & FITTINGS  
- CPVC SCH80 PIPE, VALVES & FITTINGS  
- PP SCH80 (BLACK & NATURAL) PVF  
- PVDF SCH80 (RED & NATURAL) PVF

**IRRIGATION**

MICRO, LOW FLOW & DRIP DEVICES AND TUBING

**INSULATION**

IMCOA PIPE & SHEET INSULATION (Ontario, Québec, Atlantic)



**Headquarters & Warehouse**

66 Don Hillock Drive  
Aurora, ON L4G 0H6

**Vancouver Warehouse**

#103 - 19335 96th Avenue  
Surrey, BC V4N 4C4

T: (905)727-5545 T: 1-800-268-3509 F: (905)727-4088