



LIST # HP-STLNIPP 0209
February 1, 2009

HIGH PRESSURE SEAMLESS BLACK STEEL PIPE NIPPLES

STEEL PIPE - ASTM A106

Diam	Close	Close	1 1/2"	2"	2 1/2"	3"	3 1/2"	4"	4 1/2"	5"	5 1/2"	6"	7"	8"	10"	12"
	Length															
1/8"	3/4"	4001006C 1.64	4001014C 1.71	4001020C 1.77	4001024C 1.98	4001030C 2.09	4001034C 2.28	4001040C 2.35	4001044C 2.70	4001050C 2.74	4001054C 2.89	4001060C 3.18		4001080C POA	4001100C POA	4001120C POA
1/4"	7/8"	4002007C 1.45	4002014C 1.51	4002020C 1.58	4002024C 1.79	4002030C 1.90	4002034C 2.04	4002040C 2.14	4002044C 2.83	4002050C 3.01	4002054C 3.08	4002060C 3.17	4002070C POA	4002080C POA	4002100C POA	4002120C POA
3/8"	1"	4003010C 1.46	4003014C 1.53	4003020C 1.62	4003024C 1.83	4003030C 1.95	4003034C 2.14	4003040C 2.35	4003044C 2.87	4003050C 3.03	4003054C 3.14	4003060C 3.39	4003070C POA	4003080C POA	4003100C POA	4003120C 4.70
1/2"	1 1/8"	4004011C 0.87	4004014C 0.90	4004020C 0.97	4004024C 1.02	4004030C 1.14	4004034C 1.31	4004040C 1.38	4004044C 1.53	4004050C 1.62	4004054C 1.75	4004060C 1.83	4004070C 3.31	4004080C 3.67	4004100C 4.16	4004120C 4.68
3/4"	1 3/8"	4006013C 1.06	4006014C 1.09	4006020C 1.14	4006024C 1.16	4006030C 1.32	4006034C 1.46	4006040C 1.57	4006044C 1.72	4006050C 1.83	4006054C 2.00	4006060C 2.20	4006070C 4.16	4006080C 4.34	4006100C 4.88	4006120C 5.62
1"	1 1/2"	4010014C 1.57		4010020C 1.72	4010024C 1.83	4010030C 1.91	4010034C 2.11	4010040C 2.28	4010044C 2.51	4010050C 2.70	4010054C 2.84	4010060C 2.98	4010070C 5.27	4010080C 5.57	4010100C 6.45	4010120C 7.19
1 1/4"	1 5/8"	4012015C 1.96		4012020C 2.15	4012024C 2.21	4012030C 2.44	4012034C 2.70	4012040C 2.89	4012044C 3.09	4012050C 3.33	4012054C 3.52	4012060C 3.72	4012070C 6.34	4012080C 6.78	4012100C 7.85	4012120C 8.80
1 1/2"	1 3/4"	4014016C 2.38		4014020C 2.54	4014024C 2.78	4014030C 2.96	4014034C 3.35	4014040C 3.56	4014044C 3.80	4014050C 4.00	4014054C 4.29	4014060C 4.50	4014070C 7.22	4014080C 7.66	4014100C 8.71	4014120C 9.77
2"	2"	4020020C 3.08			4020024C 3.40	4020030C 3.69	4020034C 4.15	4020040C 4.54	4020044C 4.87	4020050C 5.24	4020054C 5.67	4020060C 6.05	4020070C 8.65	4020080C 9.87	4020100C 11.33	4020120C 13.38
2 1/2"	2 1/2"	4024024C 11.37				4024030C 11.90	4024034C 13.13	4024040C 13.61	4024044C 14.55	4024050C 15.43	4024054C 16.43	4024060C 17.31	4024070C 17.76	4024080C 18.16	4024100C POA	4024120C POA
3"	2 5/8"	4030025C 12.97				4030030C 13.32	4030034C 14.90	4030040C 15.24	4030044C 16.10	4030050C 17.21	4030054C 18.28	4030060C 19.38	4030070C 19.92	4030080C 22.20	4030100C POA	4030120C POA
4"	2 7/8"	4040027C 19.45				4040030C POA	4040034C 21.17	4040040C 22.06	4040044C 23.28	4040050C 25.23	4040054C 27.23	4040060C 29.22	4040070C POA	4040080C 35.87	4040100C POA	4040120C POA
6"	3 1/8"	4060031C POA						4060040C POA	4060044C POA	4060050C POA	4060054C POA	4060060C POA				



LIST # HP-STLNIPP 0209
February 1, 2009

HIGH PRESSURE SEAMLESS GALVANIZED STEEL PIPE NIPPLES

STEEL PIPE - ASTM A106

Diam	Close	Close	1 1/2"	2"	2 1/2"	3"	3 1/2"	4"	4 1/2"	5"	5 1/2"	6"	7"	8"	10"	12"
	Length															
1/8"	3/4"	4001006C 1.85	4001014C 1.98	4001020C 2.25	4001024C 2.61	4001030C 2.79	4001034C 3.03	4001040C 3.20	4001044C 3.35	4001050C 3.53	4001054C 3.67	4001060C 3.85		4001080C POA	4001100C POA	4001120C POA
1/4"	7/8"	4002007C 1.62	4002014C 1.75	4002020C 1.85	4002024C 2.11	4002030C 2.25	4002034C 2.44	4002040C 2.70	4002044C 3.03	4002050C 3.30	4002054C 3.53	4002060C 3.69	4002070C POA	4002080C POA	4002100C POA	4002120C POA
3/8"	1"	4003010C 1.68	4003014C 1.77	4003020C 1.90	4003024C 2.19	4003030C 2.30	4003034C 2.53	4003040C 2.77	4003044C 3.21	4003050C 3.59	4003054C 3.73	4003060C 3.91	4003070C POA	4003080C POA	4003100C POA	4003120C POA
1/2"	1 1/8"	4004011C 1.07	4004014C 1.14	4004020C 1.24	4004024C 1.35	4004030C 1.46	4004034C 1.64	4004040C 1.79	4004044C 1.91	4004050C 2.07	4004054C 2.25	4004060C 2.39	4004070C POA	4004080C POA	4004100C POA	4004120C POA
3/4"	1 3/8"	4006013C 1.31	4006014C 1.35	4006020C 1.41	4006024C 1.57	4006030C 1.75	4006034C 1.96	4006040C 2.15	4006044C 2.34	4006050C 2.53	4006054C 2.72	4006060C 2.96	4006070C POA	4006080C POA	4006100C POA	4006120C POA
1"	1 1/2"	4010014C 1.94		4010020C 2.11	4010024C 2.29	4010030C 2.49	4010034C 2.77	4010040C 3.02	4010044C 3.27	4010050C 3.48	4010054C 3.66	4010060C 3.90	4010070C POA	4010080C POA	4010100C POA	4010120C POA
1 1/4"	1 5/8"	4012015C 2.49		4012020C 2.74	4012024C 2.91	4012030C 3.11	4012034C 3.50	4012040C 3.81	4012044C 4.10	4012050C 4.38	4012054C 4.65	4012060C 4.94	4012070C POA	4012080C POA	4012100C POA	4012120C POA
1 1/2"	1 3/4"	4014016C 3.03		4014020C 3.21	4014024C 3.50	4014030C 3.75	4014034C 4.19	4014040C 4.60	4014044C 4.97	4014050C 5.32	4014054C 5.67	4014060C 5.94	4014070C POA	4014080C POA	4014100C POA	4014120C POA
2"	2"	4020020C 3.94			4020024C 4.34	4020030C 4.79	4020034C 5.43	4020040C 5.89	4020044C 6.30	4020050C 6.78	4020054C 7.26	4020060C 7.73	4020070C POA	4020080C POA	4020100C POA	4020120C POA
2 1/2"	2 1/2"	4024024C 14.96				4024030C 15.43	4024034C 17.33	4024040C 17.84	4024044C 18.97	4024050C 20.43	4024054C 21.92	4024060C 23.08	4024070C POA	4024080C POA	4024100C POA	4024120C POA
3"	2 5/8"	4030025C 17.69				4030030C 18.16	4030034C 20.34	4030040C 20.87	4030044C 22.19	4030050C 23.69	4030054C 25.17	4030060C 26.68	4030070C POA	4030080C POA	4030100C POA	4030120C POA
4"	2 7/8"	4040027C 26.34				4040030C POA	4040034C 28.69	4040040C 29.38	4040044C 31.72	4040050C 34.36	4040054C 37.15	4040060C 39.82	4040070C POA	4040080C 49.92	4040100C POA	4040120C POA
6"	3 1/8"	4060031C POA						4060040C POA	4060044C POA	4060050C	4060054C	4060060C POA				

HIGH PRESSURE SEAMLESS BLACK READY CUT PIPE

STEEL PIPE - ASTM A106

Dia/Length	18"	24"	30"	36"	48"	60"	72"	
Part #	4004180C	4004240C	4004300C	4004360C	4004480C	4004600C	4004720C	
1/2"	6.63	8.21	10.28	12.33	16.41	20.52	POA	
Part #	4006180C	4006240C	4006300C	4006360C	4006480C	4006600C	4006720C	
3/4"	8.28	9.94	12.37	14.86	19.79	24.70	POA	
Part #	4010180C	4010240C	4010300C	4010360C	4010480C	4010600C	4010720C	
1"	11.59	13.99	16.55	19.25	25.32	31.62	POA	
Part #	4012180C	4012240C	4012300C	4012360C	4012480C	4012600C	4012720C	
1 1/4"	14.54	18.41	24.20	29.02	36.85	45.24	POA	
Part #	4014180C	4014240C	4014300C	4014360C	4014480C	4014600C	4014720C	
1 1/2"	POA	POA	POA	POA	POA	POA	POA	
Part #	4020180C	4020240C	4020300C	4020360C	4020480C	4020600C	4020720C	
2"	POA	POA	POA	POA	POA	POA	POA	

Part #'s

SCH40 Black Nipples begin with part #83NI

SCH40 Galvanized Nipples begin with part #84NI

SCH40 Black Ready Cut Pipe begin with part #83NI

Ex . 1/2" x 2" Black Nipple = 83NI **4004180C**

Ex . 1/2" x 6" Black Nipple = 84NI **4004020C**

Ex . 1/2" x 18" Black Nipple = 83NI **4004180C**