

MALL150-0111

Jan 4, 2011 / 4 jan 2011

Replaces MALL150-0310 / Remplace MALL150-0310

GST Extra / TPS en sus



SMITH-COOPER®
INTERNATIONAL

**Malleable Iron
Pipe Fittings
150#**

**Raccords en fonte
malléable
150#**

NCI Marketing Inc.

Headquarters & Warehouse

66 Don Hillock Drive
Aurora, On L4G 0H6

Vancouver Warehouse

#103 - 19335 96th Avenue
Surrey, BC V4N 4C4

T: (905)727-5545 T: 1-800-268-3509 F: (905)727-4088

Malleable Iron Pipe Fittings 150#

Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price		SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black		Master	Inner	Galv	Black
ELBOWS 90°					REDUCING ELBOWS 90° Cont				
			Fig # 34E	Fig # 33E				Fig # 34RE	Fig # 33RE
1/8	800	50	7.60	6.30	2-1/2 x 1-1/4	16	8		85.18
1/4	560	35	7.60	6.30	2-1/2 x 1-1/2	16	8	124.63	85.18
3/8	360	45	7.60	6.30	2-1/2 x 2	16	8	124.63	85.18
1/2	200	50	6.22	5.13	3 x 1-1/2	8	-		142.24
3/4	140	35	8.98	7.42	3 x 2	8	-	283.27	142.24
1	80	20	13.83	11.37	3 x 2-1/2	8	-	283.27	142.24
1-1/4	40	20	20.75	17.07	4 x 2	5	-		284.46
1-1/2	30	15	27.65	22.74	4 x 2-1/2	5	-		284.46
2	16	8	41.46	34.13	4 x 3	5	-		284.46
2-1/2	12	6	79.83	66.26	ELBOWS 45°				
3	7	-	121.64	100.94				Fig # 34F	Fig # 33F
4	3	-	220.49	182.99	1/8	800	50	8.38	6.93
5	2	-		504.79	1/4	480	30	8.38	6.93
6	1	-	874.37	725.63	3/8	600	50	8.38	6.93
REDUCING ELBOWS 90°					STREET ELBOWS 90°				
			Fig # 34RE	Fig # 33RE				Fig # 34SE	Fig # 33SE
1/4 x 1/8	640	40	10.82	7.54	1/8	960	60	8.38	6.93
3/8 x 1/8	560	70		7.54	1/4	560	35	8.38	6.93
3/8 x 1/4	480	60	11.03	7.54	3/8	320	40	8.38	6.93
1/2 x 1/4	400	50	8.38	6.92	1/2	240	60	7.60	6.29
1/2 x 3/8	200	50	8.38	6.92	3/4	140	35	11.03	9.15
3/4 x 1/4	160	40	11.03	9.15	1	80	40	16.36	13.60
3/4 x 3/8	160	40	11.03	9.15	1-1/4	50	25	28.54	23.68
3/4 x 1/2	160	40	11.03	9.15	1-1/2	32	8	34.98	29.02
1 x 1/4	100	25		13.89	2	16	8	49.44	41.02
1 x 3/8	100	25	16.75	13.89	2-1/2	10	-	110.24	91.50
1 x 1/2	100	25	16.75	13.89	3	7	-	171.07	141.97
1 x 3/4	100	25	16.75	13.89	4	3	-	285.13	236.62
1-1/4 x 1/2	80	20	26.98	22.40					
1-1/4 x 3/4	60	15	26.98	22.40					
1-1/4 x 1	40	10	26.98	22.40					
1-1/2 x 1/2	60	15	33.45	27.76					
1-1/2 x 3/4	40	10	33.45	27.76					
1-1/2 x 1	40	10	33.45	27.76					
1-1/2 x 1-1/4	32	8	33.45	27.76					
2 x 1/2	40	10	49.44	41.02					
2 x 3/4	40	10	49.44	41.02					
2 x 1	28	14	49.44	41.02					
2 x 1-1/4	20	10	49.44	41.02					
2 x 1-1/2	20	10	49.44	41.02					

Malleable Iron Pipe Fittings 150#

Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price		SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black		Master	Inner	Galv	Black
STREET ELBOWS 45°					REDUCING TEES				
			Fig # 34SF	Fig # 33SF				Fig # 34RT	Fig # 33RT
1/8	1120	70	14.18	9.47	3/8 x 1/4	160	40		12.67
1/4	640	40	14.18	9.47	1/2 x 1/8	160	20		10.74
3/8	600	50	14.18	9.47	1/2 x 1/4	160	20	12.93	10.74
1/2	260	65	11.42	9.47	1/2 x 3/8	160	20	12.93	10.74
3/4	160	40	17.49	14.50	3/4 x 1/4	100	25	17.01	12.94
1	100	25	23.20	19.23	3/4 x 3/8	100	25	17.01	13.45
1-1/4	40	10	38.00	31.56	3/4 x 1/2	80	20	17.01	11.67
1-1/2	40	10	45.61	37.84	1 x 1/4	80	20	23.97	19.89
2	24	12	76.03	63.10	1 x 3/8	60	15	23.97	19.89
2-1/2	10	5		126.18	1 x 1/2	60	15	21.78	17.92
3	6	-		189.29	1 x 3/4	48	12	21.78	17.92
4	4	-	758.99	283.96	1-1/4 x 3/8	40	20		29.97
SIDE OUTLET ELBOWS 90°					TEES				
			Fig # 34OE	Fig # 33OE					
3/4	80	20	48.16		1-1/4 x 1/2	40	20	36.13	29.97
TEES					TEES				
			Fig # 34T	Fig # 33T	1-1/4 x 3/4	40	20	36.13	29.97
1/8	640	90	9.51	7.90	1-1/4 x 1	40	20	36.13	29.97
1/4	360	45	9.51	7.90	1-1/2 x 1/2	36	18	45.61	37.85
3/8	200	25	9.51	7.90	1-1/2 x 3/4	30	15	41.46	34.14
1/2	140	35	7.93	6.54	1-1/2 x 1	30	15	45.61	37.85
3/4	80	20	11.38	9.37	1-1/2 x 1-1/4	24	12	45.61	37.85
1	50	25	17.96	14.79	2 x 3/8	20	10		53.63
1-1/4	28	14	26.94	22.19	2 x 1/2	20	10	64.61	53.63
1-1/2	24	12	34.57	28.44	2 x 3/4	20	10	58.74	48.35
2	15	-	51.83	42.68	2 x 1	20	10	58.74	48.35
2-1/2	10	-	121.64	100.94	2 x 1-1/4	16	8	64.61	53.63
3	6	-	159.66	132.49	2 x 1-1/2	16	8	64.61	53.63
4	2	-	288.92	239.77	2-1/2 x 1/2	16	-	133.06	110.43
5	2	-		630.98	2-1/2 x 3/4	16	-	133.06	110.43
6	1	-	1026.40	851.84	2-1/2 x 1	16	-	133.06	110.43
					2-1/2 x 1-1/4	10	-	133.06	110.43
					2-1/2 x 1-1/2	10	-	133.06	110.43
					2-1/2 x 2	10	-	133.06	110.43
					3 x 3/4	6	-		157.74
					3 x 1	6	-		157.74
					3 x 1-1/4	6	-		157.74
					3 x 1-1/2	6	-	190.07	157.74
					3 x 2	6	-	190.07	157.74
					3 x 2-1/2	6	-	190.07	157.74
					4 x 1	4	-	361.15	0.00
					4 x 2	3	-	361.15	299.71
					4 x 2-1/2	3	-	361.15	299.71
					4 x 3	3	-	361.15	299.71

Malleable Iron Pipe Fittings 150#

Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price		SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black		Master	Inner	Galv	Black
REDUCING TEES Cont					REDUCING TEES Cont				
			Fig # 34RT	Fig # 33RT				Fig # 34RT	Fig # 33RT
1/2 x 3/8 x 1/2	160	20	12.93		2 x 1/2 x 2	16	8	64.61	53.63
3/4 x 1/2 x 1/2	100	25	15.59	12.94	2 x 3/4 x 2	16	8	64.61	53.63
3/4 x 1/2 x 3/4	80	20	15.59	12.94	2 x 1 x 1	24	12	64.61	53.63
3/4 x 1/2 x 1	72	18		19.88	2 x 1 x 1-1/2	20	10		53.63
1 x 1/2 x 1/2	80	20	23.97	19.88	2 x 1 x 2	16	8	64.61	53.63
1 x 1/2 x 3/4	80	20	23.97	19.88	2 x 1-1/4 x 1	16	8		53.63
1 x 1/2 x 1	60	15	23.97	19.88	2 x 1-1/4 x 1-1/4	16	8	64.61	53.63
1 x 3/4 x 1/2	80	20	23.97	19.88	2 x 1-1/4 x 1-1/2	16	8	64.61	53.63
1 x 3/4 x 3/4	60	15	23.97	19.88	2 x 1-1/4 x 2	16	8		53.63
1 x 3/4 x 1	60	15	23.97	19.88	2 x 1-1/2 x 3/4	20	10		53.63
1-1/4 x 1/2 x 1/2	50	25		29.97	2 x 1-1/2 x 1	20	10	64.61	53.63
1-1/4 x 1/2 x 3/4	50	25		29.97	2 x 1-1/2 x 1-1/4	16	8	64.61	53.63
1-1/4 x 1/2 x 1	40	20		29.97	2 x 1-1/2 x 1-1/2	16	8	64.61	53.63
1-1/4 x 1/2 x 1-1/4	40	20	36.13	29.97	2 x 1-1/2 x 2	16	8	64.61	53.63
1-1/4 x 3/4 x 1/2	40	10		29.97	BULL HEAD TEES				
1-1/4 x 3/4 x 3/4	40	10		29.97				Fig # 34BT	Fig # 33BT
1-1/4 x 3/4 x 1	40	10	36.13	29.97	1/2 x 3/4	100	25	15.59	12.94
1-1/4 x 3/4 x 1-1/4	40	10	36.13	29.97	1/2 x 1	80	40	24.09	19.89
1-1/4 x 1 x 1/2	40	20	36.13	29.97	3/4 x 1	60	15	23.97	19.89
1-1/4 x 1 x 3/4	40	20	36.13	27.05	1 x 1-1/4	32	8	36.13	29.97
1-1/4 x 1 x 1	40	20	36.13	29.97	1 x 1-1/2	30	15	45.61	37.85
1-1/4 x 1 x 1-1/4	40	20	36.13	29.97	1 x 2	24	12		53.63
1-1/2 x 1/2 x 3/4	48	12		37.84	1-1/4 x 1-1/2	20	10	45.61	37.85
1-1/2 x 1/2 x 1-1/2	24	12	45.61	37.85	1-1/4 x 2	16	8		53.63
1-1/2 x 3/4 x 1/2	30	15		37.85	1-1/2 x 2	16	8	64.61	53.63
1-1/2 x 3/4 x 3/4	30	15		37.85	2 x 2-1/2	12	6		110.43
1-1/2 x 3/4 x 1-1/4	24	12	45.61	37.85	CROSSES				
1-1/2 x 3/4 x 1-1/2	24	12	45.61	37.85				Fig # 34X	Fig # 33X
1-1/2 x 1 x 1/2	30	15		37.85	1/8	320	20		15.78
1-1/2 x 1 x 3/4	30	15		37.85	1/4	320	40	19.00	15.78
1-1/2 x 1 x 1	30	15	45.61	37.85	3/8	160	40	19.00	15.78
1-1/2 x 1 x 1-1/4	24	12		37.85	1/2	120	30	19.00	15.78
1-1/2 x 1 x 1-1/2	24	12		37.85	3/4	80	20	26.61	22.07
1-1/2 x 1-1/4 x 1/2	24	12	45.61	37.85	1	40	20	36.13	29.97
1-1/2 x 1-1/4 x 3/4	24	12	45.61	37.85	1-1/4	20	-	53.22	44.18
1-1/2 x 1-1/4 x 1	24	12	45.61	37.85	1-1/2	18	-	72.24	59.96
1-1/2 x 1-1/4 x 1-1/4	24	12	45.61	37.85	2	10	-	98.83	82.03
1-1/2 x 1-1/4 x 1-1/2	24	12	45.61	37.85	2-1/2	6	-	232.28	178.44
1-1/2 x 1-1/4 x 2	16	8		53.63	3	4	-	320.09	253.43
					4	2	-	594.87	470.65

Malleable Iron Pipe Fittings 150#

Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price		SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black		Master	Inner	Galv	Black
FLOOR FLANGES					REDUCING COUPLINGS				
			Fig # 34FF	Fig # 33FF			Fig # 34RC	Fig # 33RC	
1/2	200	50	19.77	16.40	1/4 x 1/8	600	50	6.48	5.37
3/4	120	30	27.38	22.71	3/8 x 1/8	420	35	6.48	5.37
1	80	20	31.92	26.51	3/8 x 1/4	360	30	6.48	5.37
1-1/4	60	15	45.61	37.85	1/2 x 1/8	400	50	6.48	5.37
1-1/2	48	12	53.22	44.17	1/2 x 1/4	400	50	6.48	5.37
2	32	8	64.61	53.63	1/2 x 3/8	320	40	6.48	5.37
CAPS					3/4 x 1/8	280	35	9.11	7.55
			Fig # 34C	Fig # 33C	3/4 x 1/4	240	30	9.12	7.55
1/8	1920	120	5.36	4.43	3/4 x 3/8	240	60	9.12	7.55
1/4	1280	80	5.36	4.43	3/4 x 1/2	240	60	8.29	6.82
3/8	720	60	5.36	4.43	1 x 1/4	180	45	12.16	10.08
1/2	600	75	4.85	3.98	1 x 3/8	120	30	12.16	10.08
3/4	320	40	5.88	4.85	1 x 1/2	120	30	12.16	10.08
1	200	25	8.28	6.82	1 x 3/4	100	25	11.04	9.11
1-1/4	100	25	12.12	9.97	1-1/4 x 3/8	100	25	17.86	14.80
1-1/2	100	25	15.89	13.08	1-1/4 x 1/2	100	25	17.86	14.80
2	60	15	22.11	18.20	1-1/4 x 3/4	100	25	17.86	14.80
2-1/2	40	20	49.44	41.02	1-1/4 x 1	60	15	17.86	14.80
3	24	12	68.44	56.80	1-1/2 x 3/8	60	15		17.66
4	12	6	114.06	94.65	1-1/2 x 1/2	60	15	21.30	17.66
5	10	-		250.84	1-1/2 x 3/4	60	15	21.30	17.66
6	5	-	453.24	362.03	1-1/2 x 1	60	15	21.30	17.66
COUPLINGS - BANDED					1-1/2 x 1-1/4	48	12	21.30	17.66
			Fig # 34CP	Fig # 33CP	2 x 3/8	56	14		26.83
1/8	1120	70	5.68	4.72	2 x 1/2	48	12	32.32	26.83
1/4	640	40	5.68	4.72	2 x 3/4	48	12	32.32	26.83
3/8	480	40	5.68	4.72	2 x 1	48	12	32.32	26.83
1/2	320	40	4.85	3.98	2 x 1-1/4	28	14	32.32	26.83
3/4	200	50	6.57	5.40	2 x 1-1/2	24	12	32.32	26.83
1	100	25	11.04	9.11	2-1/2 x 3/4	25	-		50.47
1-1/4	80	20	15.54	12.82	2-1/2 x 1	25	-	60.84	50.47
1-1/2	48	12	19.00	15.66	2-1/2 x 1-1/4	25	-	60.84	50.47
2	24	12	29.39	24.20	2-1/2 x 1-1/2	25	-	60.84	50.47
2-1/2	16	8	57.03	47.32	2-1/2 x 2	25	-	60.84	50.47
3	16	-	83.61	69.42	3 x 1	20	-	95.04	78.87
4	6	-	136.86	113.56	3 x 1-1/4	20	-	0.00	78.87
6	3	-	418.16	347.03	3 x 1-1/2	20	-	95.04	78.87
					3 x 2	20	-	95.04	78.87
					3 x 2-1/2	12	-	95.04	78.87
					4 x 1-1/4	10	-		145.12
					4 x 1-1/2	10	-	174.86	145.12
					4 x 2	10	-	174.86	145.12
					4 x 2-1/2	10	-	174.86	145.12
					4 x 3	8	-	174.86	145.12
					6 x 4	3	-	588.12	491.34

Malleable Iron Pipe Fittings 150#

Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price		SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black		Master	Inner	Galv	Black
LOCKNUTS					HEX BUSHINGS Cont				
			Fig # 34LN	Fig # 33LN			Fig # 34HB	Fig # 33HB	
1/8	4000	250	6.52	5.17	2 x 1-1/2	80	20	22.47	18.51
1/2	800	100	4.98	5.17	2-1/2 x 3/4	60	15	41.84	34.69
3/4	480	60	4.98	4.11	2-1/2 x 1	60	15	41.84	34.69
1	320	40	6.10	5.06	2-1/2 x 1-1/4	60	15	41.84	34.69
1-1/4	240	30	7.99	6.63	2-1/2 x 1-1/2	48	12	41.84	34.69
1-1/2	180	45	10.25	8.51	2-1/2 x 2	48	12	41.84	34.69
2	100	25	15.97	13.24	3 x 1	40	10	60.84	50.47
EXTENSION PIECES					PLUGS, SQUARE HEAD				
			Fig # 34EP	Fig # 33EP			Fig # 34SP	Fig # 33SP	
1/2	400	50	13.32	9.47	1/8	4800	300	6.89	5.38
3/4	160	40	13.32		1/4	2400	150	6.89	5.38
HEX BUSHINGS									
			Fig # 34HB	Fig # 33HB	3/8	1600	100	6.89	5.38
1/4 x 1/8	1920	120	12.63	8.07	1/2	800	50	6.06	4.30
3/8 x 1/8	1200	75	12.63	8.07	3/4	360	30	8.03	5.53
3/8 x 1/4	1200	75	12.63	8.07	1	240	20	9.07	5.70
1/2 x 1/8	800	100	5.68	4.72	1-1/4	160	40	10.36	8.54
1/2 x 1/4	800	100	5.68	4.72	1-1/2	120	30	12.12	9.98
1/2 x 3/8	800	100	5.68	4.72	2	80	20	17.28	14.23
3/4 x 1/8	480	40	6.47	5.37	2-1/2	64	16	38.00	31.56
3/4 x 1/4	480	40	6.47	5.37	3	32	16	53.22	44.18
3/4 x 3/8	480	40	6.47	5.37	4	16	8	95.04	78.87
3/4 x 1/2	480	40	6.47	5.37	6	10	-	351.25	258.60
1 x 1/8	240	30		9.06					
1 x 1/4	240	30	9.54	7.90					
1 x 3/8	240	30	9.54	7.90					
1 x 1/2	240	30	8.65	7.12					
1 x 3/4	240	30	8.65	7.12					
1-1/4 x 1/4	120	30	15.22	12.62					
1-1/4 x 3/8	120	30	15.22	12.62					
1-1/4 x 1/2	120	30	15.22	12.62					
1-1/4 x 3/4	120	30	15.22	12.62					
1-1/4 x 1	120	30	13.83	11.37					
1-1/2 x 1/4	100	25	17.86	14.81					
1-1/2 x 3/8	100	25	17.86	14.81					
1-1/2 x 1/2	100	25	17.86	14.81					
1-1/2 x 3/4	100	25	17.86	14.81					
1-1/2 x 1	100	25	17.86	14.81					
1-1/2 x 1-1/4	100	25	17.86	14.81					
2 x 3/8	80	20		20.50					
2 x 1/2	80	20	24.69	20.50					
2 x 3/4	80	20	24.69	20.50					
2 x 1	80	20	24.69	20.50					
2 x 1-1/4	80	20	22.47	18.51					

Malleable Iron Pipe Fittings 150#

Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
UNIONS, BRASS SEAT				
			Fig # 34U	Fig # 33U
1/8	480	30	34.23	28.41
1/4	240	20	34.23	28.41
3/8	160	20	34.23	28.41
1/2	160	40	31.11	25.60
3/4	80	40	39.83	32.71
1	60	30	46.66	38.41
1-1/4	40	20	62.22	51.22
1-1/2	30	15	81.64	68.26
2	20	10	124.40	102.39
2-1/2	10	-	228.08	189.29
3	7	-	379.58	315.50
4	4	-	759.18	625.81
RIGHT/LEFT COUPLINGS				
			Fig # 34RL	Fig # 33RL
1/2	320	40	6.93	5.76
3/4	200	50	8.91	7.42
1	100	25	14.86	12.38



METAL VALVES

BRONZE & IRON GATE, GLOBE & CHECK VALVES
FORGED STEEL GATE, GLOBE & CHECK VALVES
CAST STEEL GATE, GLOBE & CHECK VALVES
STAINLESS STEEL GATE, GLOBE & CHECK VALVES
BRONZE BALL & BUTTERFLY VALVES
CARBON STEEL BALL & BUTTERFLY VALVES
STAINLESS STEEL BALL & BUTTERFLY VALVES
D.I. & C.I. BUTTERFLY VALVES
ACTUATORS & CONTROLS
BRASS PLUMBING & HEATING VALVES

GROOVED FITTINGS

COOPLOK GROOVED PIPE FITTINGS
- FLEXIBLE & RIGID COUPLINGS

METAL FITTINGS

COPPER FITTINGS
COPPER PRESS SYSTEM FITTINGS & VALVES
THREADED BRONZE FITTINGS
BRASS NIPPLES
BLACK & GALVANIZED MALLEABLE IRON FITTINGS 150#
BLACK MALLEABLE IRON FITTINGS 300#
HIGH PRESSURE SCH 40 SEAMLESS STEEL NIPPLES

PLASTIC FITTINGS

ABS-DWV FITTINGS
CPVC-CTS FGG PVF
PVC SCH40 WHITE FITTINGS & VALVES
ACORN PUSH-FIT FITTINGS

THERMOPLASTIC

CHEMTROL PVF
- PVC SCH80 VALVES & FITTINGS
- CPVC SCH80 PIPE, VALVES & FITTINGS
- PP SCH80 (BLACK & NATURAL) PVF
- PVDF SCH80 (RED & NATURAL) PVF

IRRIGATION

MICRO, LOW FLOW & DRIP DEVICES AND TUBING

INSULATION

IMCOA PIPE & SHEET INSULATION (Ontario, Québec, Atlantic)



Headquarters & Warehouse
66 Don Hillock Drive
Aurora, ON L4G 0H6

T: (905)727-5545 T: 1-800-268-3509 F: (905)727-4088

Vancouver Warehouse
#103 - 19335 96th Avenue
Surrey, BC V4N 4C4