

**MALL150-0711**

July 11, 2011 / 11 juillet 2011

Replaces MALL150-00111 / Remplace MALL150-0111

GST Extra / TPS en sus



SMITH-COOPER®  
INTERNATIONAL

## Malleable Iron Pipe Fittings 150#

---

## Raccords en fonte malléable 150#

---

### NCI Marketing Inc.

Headquarters & Warehouse

66 Don Hillock Drive  
Aurora, On L4G 0H6

Vancouver Warehouse

#103 - 19335 96th Avenue  
Surrey, BC V4N 4C4

T: (905)727-5545 T: 1-800-268-3509 F: (905)727-4088

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>ELBOWS 90°</b>				
			<b>Fig # 34E</b>	<b>Fig # 33E</b>
1/8	800	50	9.17	7.57
1/4	560	35	9.17	7.57
3/8	360	45	9.17	7.57
1/2	200	50	7.50	6.16
3/4	140	35	10.83	8.91
1	80	20	16.69	13.68
1-1/4	40	20	25.01	20.53
1-1/2	30	15	33.36	27.37
2	16	8	50.05	41.08
2-1/2	12	6	96.29	79.69
3	7	-	146.74	121.44
4	3	-	265.97	220.19
5	2	-		607.37
6	1	-	1054.75	873.06
<b>REDUCING ELBOWS 90°</b>				
			<b>Fig # 34RE</b>	<b>Fig # 33RE</b>
1/4 x 1/8	640	40	13.01	9.07
3/8 x 1/8	560	70	13.30	9.07
3/8 x 1/4	480	60	13.27	9.07
1/2 x 1/4	400	50	10.08	8.32
1/2 x 3/8	200	50	10.08	8.32
3/4 x 1/4	160	40	13.27	11.02
3/4 x 3/8	160	40	13.27	11.02
3/4 x 1/2	160	40	13.27	11.02
1 x 1/4	100	25		16.72
1 x 3/8	100	25	20.16	16.72
1 x 1/2	100	25	20.16	16.72
1 x 3/4	100	25	20.16	16.72
1-1/4 x 1/2	80	20	32.46	26.95
1-1/4 x 3/4	60	15	32.46	26.95
1-1/4 x 1	40	10	32.46	26.95
1-1/2 x 1/2	60	15	40.25	33.41
1-1/2 x 3/4	40	10	40.25	33.41
1-1/2 x 1	40	10	40.25	33.41
1-1/2 x 1-1/4	32	8	40.25	33.41
2 x 1/2	40	10	59.48	49.4
2 x 3/4	40	10	59.48	49.4
2 x 1	28	14	59.48	49.4
2 x 1-1/4	20	10	59.48	49.4
2 x 1-1/2	20	10	59.48	49.4

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>REDUCING ELBOWS 90° Cont</b>				
			<b>Fig # 34RE</b>	<b>Fig # 33RE</b>
2-1/2 x 1-1/4	16	8		102.5
2-1/2 x 1-1/2	16	8	149.93	102.5
2-1/2 x 2	16	8	149.93	102.5
3 x 1-1/2	8	-		171.15
3 x 2	8	-	340.78	171.15
3 x 2-1/2	8	-	340.78	171.15
4 x 2	5	-		342.25
4 x 2-1/2	5	-		342.25
4 x 3	5	-		342.25
<b>ELBOWS 45°</b>				
			<b>Fig # 34F</b>	<b>Fig # 33F</b>
1/8	800	50	10.11	8.32
1/4	480	30	10.11	8.32
3/8	600	50	10.11	8.32
1/2	200	50	7.5	6.16
3/4	160	4	11.24	9.26
1	80	20	16.69	13.68
1-1/4	40	20	27.1	22.29
1-1/2	32	8	33.36	27.37
2	24	12	50.05	41.08
2-1/2	15	-	114.66	94.89
3	10	-	174.31	144.27
4	3	-	298.03	246.76
6	1	-	1708.48	1400.15
<b>STREET ELBOWS 90°</b>				
			<b>Fig # 34SE</b>	<b>Fig # 33SE</b>
1/8	960	60	10.08	8.32
1/4	560	35	10.08	8.32
3/8	320	40	10.08	8.32
1/2	240	60	9.14	7.57
3/4	140	35	13.27	11.02
1	80	40	19.68	16.36
1-1/4	50	25	34.33	28.5
1-1/2	32	8	42.08	34.93
2	16	8	59.47	49.4
2-1/2	10	-	132.62	110.11
3	7	-	205.8	170.81
4	3	-	343.02	284.69

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>STREET ELBOWS 45°</b>			<b>Fig # 34SF</b>	<b>Fig # 33SF</b>
1/8	1120	70	17.06	11.39
1/4	640	40	17.06	11.39
3/8	600	50	17.06	11.39
1/2	260	65	13.75	11.39
3/4	160	40	21.05	17.46
1	100	25	27.91	23.14
1-1/4	40	10	45.72	38
1-1/2	40	10	54.87	45.52
2	24	12	91.46	75.92
2-1/2	10	5		151.81
3	6	-		227.77
4	4	-	913.07	341.61
<b>SIDE OUTLET ELBOWS 90°</b>			<b>Fig # 34OE</b>	<b>Fig # 33OE</b>
3/4	80	20	57.94	
<b>TEES</b>			<b>Fig # 34T</b>	<b>Fig # 33T</b>
1/8	640	90	11.44	9.52
1/4	360	45	11.44	9.52
3/8	200	25	11.44	9.52
1/2	140	35	9.55	7.88
3/4	80	20	13.7	11.27
1	50	25	21.6	17.78
1-1/4	28	14	32.4	26.71
1-1/2	24	12	41.59	34.23
2	15	-	62.35	51.36
2-1/2	10	-	146.33	121.44
3	6	-	192.08	159.43
4	2	-	347.57	288.51
5	2	-		759.17
6	1	-	1234.76	1024.89

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>REDUCING TEES</b>			<b>Fig # 34RT</b>	<b>Fig # 33RT</b>
3/8 x 1/4	160	40		15.24
1/2 x 1/8	160	20		12.92
1/2 x 1/4	160	20	15.55	12.92
1/2 x 3/8	160	20	15.55	12.92
3/4 x 1/4	100	25	20.45	15.58
3/4 x 3/8	100	25	20.45	16.2
3/4 x 1/2	80	20	20.45	14.06
1 x 1/4	80	20	28.83	23.92
1 x 3/8	60	15	28.83	23.92
1 x 1/2	60	15	26.21	21.55
1 x 3/4	48	12	26.21	21.55
1-1/4 x 3/8	40	20		36.04
1-1/4 x 1/2	40	20	43.47	36.04
1-1/4 x 3/4	40	20	43.47	36.04
1-1/4 x 1	40	20	43.47	36.04
1-1/2 x 1/2	36	18	54.87	45.52
1-1/2 x 3/4	30	15	49.88	41.08
1-1/2 x 1	30	15	54.87	45.52
1-1/2 x 1-1/4	24	12	54.87	45.52
2 x 3/8	20	10		64.51
2 x 1/2	20	10	77.72	64.51
2 x 3/4	20	10	70.67	58.18
2 x 1	20	10	70.67	58.18
2 x 1-1/4	16	8	77.72	64.51
2 x 1-1/2	16	8	77.72	64.51
2-1/2 x 1/2	16	-	160.06	132.85
2-1/2 x 3/4	16	-	160.06	132.85
2-1/2 x 1	16	-	160.06	132.85
2-1/2 x 1-1/4	10	-	160.06	132.85
2-1/2 x 1-1/2	10	-	160.06	132.85
2-1/2 x 2	10	-	160.06	132.85
3 x 3/4	6	-		189.76
3 x 1	6	-		189.76
3 x 1-1/4	6	-		189.76
3 x 1-1/2	6	-	228.66	189.76
3 x 2	6	-	228.66	189.76
3 x 2-1/2	6	-	228.66	189.76
4 x 1	4	-	434.46	0
4 x 2	3	-	434.46	360.56
4 x 2-1/2	3	-	434.46	360.56
4 x 3	3	-	434.46	360.56

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>REDUCING TEES Cont</b>			<b>Fig # 34RT</b>	<b>Fig # 33RT</b>
1/2 x 3/8 x 1/2	160	20	15.55	
3/4 x 1/2 x 1/2	100	25	18.75	15.56
3/4 x 1/2 x 3/4	80	20	18.75	15.56
3/4 x 1/2 x 1	72	18	0.00	23.92
1 x 1/2 x 1/2	80	20	28.83	23.92
1 x 1/2 x 3/4	80	20	28.83	23.92
1 x 1/2 x 1	60	15	28.83	23.92
1 x 3/4 x 1/2	80	20	28.83	23.92
1 x 3/4 x 3/4	60	15	28.83	23.92
1 x 3/4 x 1	60	15	28.83	23.92
1-1/4 x 1/2 x 1/2	50	25		36.05
1-1/4 x 1/2 x 3/4	50	25		36.05
1-1/4 x 1/2 x 1	40	20		36.05
1-1/4 x 1/2 x 1-1/4	40	20	43.46	36.05
1-1/4 x 3/4 x 1/2	40	10		36.05
1-1/4 x 3/4 x 3/4	40	10		36.05
1-1/4 x 3/4 x 1	40	10	43.46	36.05
1-1/4 x 3/4 x 1-1/4	40	10	43.46	36.05
1-1/4 x 1 x 1/2	40	20	43.46	36.05
1-1/4 x 1 x 3/4	40	20	43.46	32.54
1-1/4 x 1 x 1	40	20	43.46	36.05
1-1/4 x 1 x 1-1/4	40	20	43.46	36.05
1-1/2 x 1/2 x 3/4	48	12		45.53
1-1/2 x 1/2 x 1-1/2	24	12	54.87	45.53
1-1/2 x 3/4 x 1/2	30	15		45.53
1-1/2 x 3/4 x 3/4	30	15		45.53
1-1/2 x 3/4 x 1-1/4	24	12	54.87	45.53
1-1/2 x 3/4 x 1-1/2	24	12	54.87	45.53
1-1/2 x 1 x 1/2	30	15		45.53
1-1/2 x 1 x 3/4	30	15		45.53
1-1/2 x 1 x 1	30	15	54.87	45.53
1-1/2 x 1 x 1-1/4	24	12		45.53
1-1/2 x 1 x 1-1/2	24	12		45.53
1-1/2 x 1-1/4 x 1/2	24	12	54.87	45.53
1-1/2 x 1-1/4 x 3/4	24	12	54.87	45.53
1-1/2 x 1-1/4 x 1	24	12	54.87	45.53
1-1/2 x 1-1/4 x 1-1/4	24	12	54.87	45.53
1-1/2 x 1-1/4 x 1-1/2	24	12	54.87	45.53
1-1/2 x 1-1/4 x 2	16	8		64.51

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>REDUCING TEES Cont</b>			<b>Fig # 34RT</b>	<b>Fig # 33RT</b>
2 x 1/2 x 2	16	8	77.72	64.51
2 x 3/4 x 2	16	8	77.72	64.51
2 x 1 x 1	24	12	77.72	64.51
2 x 1 x 1-1/2	20	10		64.51
2 x 1 x 2	16	8	77.72	64.51
2 x 1-1/4 x 1	16	8		64.51
2 x 1-1/4 x 1-1/4	16	8	77.72	64.51
2 x 1-1/4 x 1-1/2	16	8	77.72	64.51
2 x 1-1/4 x 2	16	8		64.51
2 x 1-1/2 x 3/4	20	10		64.51
2 x 1-1/2 x 1	20	10	77.72	64.51
2 x 1-1/2 x 1-1/4	16	8	77.72	64.51
2 x 1-1/2 x 1-1/2	16	8	77.72	64.51
2 x 1-1/2 x 2	16	8	77.72	64.51
<b>BULL HEAD TEES</b>			<b>Fig # 34BT</b>	<b>Fig # 33BT</b>
1/2 x 3/4	100	25	18.75	15.56
1/2 x 1	80	40	28.98	23.93
3/4 x 1	60	15	28.83	23.93
1 x 1-1/4	32	8	43.47	36.05
1 x 1-1/2	30	15	54.87	45.53
1 x 2	24	12		64.51
1-1/4 x 1-1/2	20	10	54.87	45.53
1-1/4 x 2	16	8		64.51
1-1/2 x 2	16	8	77.73	64.51
2 x 2-1/2	12	6		132.85
<b>CROSSES</b>			<b>Fig # 34X</b>	<b>Fig # 33X</b>
1/8	320	20		18.99
1/4	320	40	22.86	18.99
3/8	160	40	22.86	18.99
1/2	120	30	22.86	18.99
3/4	80	20	32.01	26.54
1	40	20	43.47	36.04
1-1/4	20	-	64.03	53.17
1-1/2	18	-	86.91	72.13
2	10	-	118.9	98.7
2-1/2	6	-	279.43	214.7
3	4	-	385.07	304.88
4	2	-	715.64	566.19

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>FLOOR FLANGES</b>			<b>Fig # 34FF</b>	<b>Fig # 33FF</b>
1/2	200	50	23.78	566.19
3/4	120	30	32.93	19.71
1	80	20	38.40	27.34
1-1/4	60	15	54.87	31.92
1-1/2	48	12	64.02	45.52
2	32	8	77.73	53.17
				64.51
<b>CAPS</b>			<b>Fig # 34C</b>	<b>Fig # 33C</b>
1/8	1920	120	6.45	5.31
1/4	1280	80	6.45	5.31
3/8	720	60	6.45	5.31
1/2	600	75	5.83	4.8
3/4	320	40	7.08	5.83
1	200	25	9.96	8.21
1-1/4	100	25	14.57	12.01
1-1/2	100	25	19.12	15.73
2	60	15	26.59	21.88
2-1/2	40	20	59.48	49.4
3	24	12	82.33	68.34
4	12	6	137.22	113.86
5	10	-		301.83
6	5	-	545.25	435.59
<b>COUPLINGS - BANDED</b>			<b>Fig # 34CP</b>	<b>Fig # 33CP</b>
1/8	1120	70	6.84	5.69
1/4	640	40	6.84	5.69
3/8	480	40	6.84	5.69
1/2	320	40	5.83	4.8
3/4	200	50	7.9	6.49
1	100	25	13.28	10.97
1-1/4	80	20	18.7	15.43
1-1/2	48	12	22.86	18.84
2	24	12	35.36	29.12
2-1/2	16	8	68.61	56.94
3	16	-	100.58	83.51
4	6	-	164.63	136.62
6	3	-	503.04	417.56

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>REDUCING COUPLINGS</b>			<b>Fig # 34RC</b>	<b>Fig # 33RC</b>
1/4 x 1/8	600	50	7.80	6.44
3/8 x 1/8	420	35	7.80	6.44
3/8 x 1/4	360	30	7.80	6.44
1/2 x 1/8	400	50	7.80	6.44
1/2 x 1/4	400	50	7.80	6.44
1/2 x 3/8	320	40	7.80	6.44
3/4 x 1/8	280	35	10.97	9.07
3/4 x 1/4	240	30	10.97	9.07
3/4 x 3/8	240	60	10.97	9.07
3/4 x 1/2	240	60	9.98	8.21
1 x 1/4	180	45	14.62	12.14
1 x 3/8	120	30	14.62	12.14
1 x 1/2	120	30	14.62	12.14
1 x 3/4	100	25	13.28	10.97
1-1/4 x 3/8	100	25	21.5	17.84
1-1/4 x 1/2	100	25	21.5	17.84
1-1/4 x 3/4	100	25	21.5	17.84
1-1/4 x 1	60	15	21.5	17.84
1-1/2 x 3/8	60	15		21.28
1-1/2 x 1/2	60	15	25.62	21.28
1-1/2 x 3/4	60	15	25.62	21.28
1-1/2 x 1	60	15	25.62	21.28
1-1/2 x 1-1/4	48	12	25.62	21.28
2 x 3/8	56	14		32.28
2 x 1/2	48	12	38.87	32.27
2 x 3/4	48	12	38.87	32.27
2 x 1	48	12	38.87	32.27
2 x 1-1/4	28	14	38.87	32.27
2 x 1-1/2	24	12	38.87	32.27
2-1/2 x 3/4	25	-		60.72
2-1/2 x 1	25	-	73.19	60.71
2-1/2 x 1-1/4	25	-	73.19	60.71
2-1/2 x 1-1/2	25	-	73.19	60.71
2-1/2 x 2	25	-	73.19	60.71
3 x 1	20	-	114.33	94.89
3 x 1-1/4	20	-		94.89
3 x 1-1/2	20	-	114.33	94.89
3 x 2	20	-	114.33	94.89
3 x 2-1/2	12	-	114.33	94.89
4 x 1-1/4	10	-		174.61
4 x 1-1/2	10	-	210.36	174.61
4 x 2	10	-	210.36	174.61
4 x 2-1/2	10	-	210.36	174.61
4 x 3	8	-	210.36	174.61
6 x 4	3	-	707.51	591.17

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>LOCKNUTS</b>				
			Fig # 34LN	Fig # 33LN
1/8	4000	250	7.84	6.22
1/2	800	100	5.99	6.22
3/4	480	60	5.99	4.95
1	320	40	7.34	6.12
1-1/4	240	30	9.62	7.97
1-1/2	180	45	12.33	10.23
2	100	25	19.21	15.93
<b>EXTENSION PIECES</b>				
			Fig # 34EP	Fig # 33EP
1/2	400	50	16.03	11.39
3/4	160	40	16.03	
<b>HEX BUSHINGS</b>				
			Fig # 34HB	Fig # 33HB
1/4 x 1/8	1920	120	15.19	9.71
3/8 x 1/8	1200	75	15.19	9.71
3/8 x 1/4	1200	75	15.19	9.71
1/2 x 1/8	800	100	6.84	5.68
1/2 x 1/4	800	100	6.84	5.68
1/2 x 3/8	800	100	6.84	5.68
3/4 x 1/8	480	40	7.79	6.45
3/4 x 1/4	480	40	7.79	6.45
3/4 x 3/8	480	40	7.79	6.45
3/4 x 1/2	480	40	7.79	6.45
1 x 1/8	240	30		10.9
1 x 1/4	240	30	11.47	9.5
1 x 3/8	240	30	11.47	9.5
1 x 1/2	240	30	10.40	8.57
1 x 3/4	240	30	10.40	8.57
1-1/4 x 1/4	120	30	18.3	15.18
1-1/4 x 3/8	120	30	18.3	15.18
1-1/4 x 1/2	120	30	18.3	15.18
1-1/4 x 3/4	120	30	18.3	15.18
1-1/4 x 1	120	30	16.63	13.68
1-1/2 x 1/4	100	25	21.5	17.81
1-1/2 x 3/8	100	25	21.5	17.81
1-1/2 x 1/2	100	25	21.5	17.81
1-1/2 x 3/4	100	25	21.5	17.81
1-1/2 x 1	100	25	21.5	17.81
1-1/2 x 1-1/4	100	25	21.5	17.81
2 x 3/8	80	20		24.66
2 x 1/2	80	20	29.71	24.66
2 x 3/4	80	20	29.71	24.66
2 x 1	80	20	29.71	24.66
2 x 1-1/4	80	20	27.03	22.27

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>HEX BUSHINGS Cont</b>				
			Fig # 34HB	Fig # 33HB
2 x 1-1/2	80	20	27.03	22.27
2-1/2 x 3/4	60	15	50.33	41.73
2-1/2 x 1	60	15	50.33	41.73
2-1/2 x 1-1/4	60	15	50.33	41.73
2-1/2 x 1-1/2	48	12	50.33	41.73
2-1/2 x 2	48	12	50.33	41.73
3 x 1	40	10	73.19	60.72
3 x 1-1/4	40	10	73.19	60.72
3 x 1-1/2	32	8	73.19	60.72
3 x 2	24	6	73.19	60.72
3 x 2-1/2	24	6	73.19	60.72
3-1/2 x 3	20	10		155.55
4 x 1	20	-	137.22	113.87
4 x 1-1/4	20	-	137.22	113.87
4 x 1-1/2	20	-	137.22	113.87
4 x 2	20	-	137.22	113.87
4 x 2-1/2	20	-	137.22	113.87
4 x 3	20	-	137.22	113.87
6 x 3	10	-	408.93	311.09
6 x 4	10	-	408.93	311.09
6 x 5	10	-		311.09
<b>PLUGS, SQUARE HEAD</b>				
			Fig # 34SP	Fig # 33SP
1/8	4800	300	8.29	6.47
1/4	2400	150	8.29	6.47
3/8	1600	100	8.29	6.47
1/2	800	50	7.29	5.17
3/4	360	30	9.65	6.65
1	240	20	10.92	6.85
1-1/4	160	40	12.46	10.27
1-1/2	120	30	14.57	12
2	80	20	20.79	17.12
2-1/2	64	16	45.72	37.96
3	32	16	64.03	53.15
4	16	8	114.33	94.88
6	10	-	422.55	311.09

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>UNIONS, BRASS SEAT</b>			<b>Fig # 34U</b>	<b>Fig # 33U</b>
1/8	480	30	41.18	34.17
1/4	240	20	41.18	34.17
3/8	160	20	41.18	34.17
1/2	160	40	37.43	30.79
3/4	80	40	47.92	39.36
1	60	30	56.14	46.25
1-1/4	40	20	74.85	61.63
1-1/2	30	15	98.21	82.12
2	20	10	149.64	123.2
2-1/2	10	-	274.38	227.77
3	7	-	456.62	379.61
4	4	-	913.29	752.98
<b>RIGHT/LEFT COUPLINGS</b>			<b>Fig # 34RL</b>	<b>Fig # 33RL</b>
1/2	320	40	8.34	6.93
3/4	200	50	10.72	8.93
1	100	25	17.87	14.89



**METAL VALVES**

BRONZE & IRON GATE, GLOBE & CHECK VALVES  
FORGED STEEL GATE, GLOBE & CHECK VALVES  
CAST STEEL GATE, GLOBE & CHECK VALVES  
STAINLESS STEEL GATE, GLOBE & CHECK VALVES  
BRONZE BALL & BUTTERFLY VALVES  
CARBON STEEL BALL & BUTTERFLY VALVES  
STAINLESS STEEL BALL & BUTTERFLY VALVES  
D.I. & C.I. BUTTERFLY VALVES  
ACTUATORS & CONTROLS  
BRASS PLUMBING & HEATING VALVES

**GROOVED FITTINGS**

COOPLOK GROOVED PIPE FITTINGS  
- FLEXIBLE & RIGID COUPLINGS

**METAL FITTINGS**

COPPER FITTINGS  
COPPER PRESS SYSTEM FITTINGS & VALVES  
THREADED BRONZE FITTINGS  
BRASS NIPPLES  
BLACK & GALVANIZED MALLEABLE IRON FITTINGS 150#  
BLACK MALLEABLE IRON FITTINGS 300#  
HIGH PRESSURE SCH 40 SEAMLESS STEEL NIPPLES

**PLASTIC FITTINGS**

ABS-DWV FITTINGS  
CPVC-CTS FGG PVF  
PVC SCH40 WHITE FITTINGS & VALVES  
ACORN PUSH-FIT FITTINGS

**THERMOPLASTIC**

CHEMTROL PVF  
- PVC SCH80 VALVES & FITTINGS  
- CPVC SCH80 PIPE, VALVES & FITTINGS  
- PP SCH80 (BLACK & NATURAL) PVF  
- PVDF SCH80 (RED & NATURAL) PVF

**IRRIGATION**

MICRO, LOW FLOW & DRIP DEVICES AND TUBING

**INSULATION**

IMCOA PIPE & SHEET INSULATION (Ontario, Québec, Atlantic)



**Headquarters & Warehouse**  
66 Don Hillock Drive  
Aurora, ON L4G 0H6

T: (905)727-5545 T: 1-800-268-3509 F: (905)727-4088

**Vancouver Warehouse**  
#103 - 19335 96th Avenue  
Surrey, BC V4N 4C4