

**MALL150-1208**

December 1, 2008

Replaces MALL150-0808 August 25, 2008

GST Extra

**MALL150 -1208**

1 Décembre 2008

Remplace MALL150-0808 du 25 août 2008

TPS en sus



SMITH-COOPER®  
INTERNATIONAL

# Malleable Iron Pipe Fittings 150#

---

# Raccords en fonte malléable 150#

---

**NCI Marketing Inc.**

Headquarters & Warehouse  
280A Industrial Parkway South  
Aurora, On L4G 3T9

Vancouver Warehouse  
#102 - 18935 96th Avenue  
Surrey, BC V4N 3P3

T: (905)727-5545 T: 1-800-268-3509 F: (905)727-4088

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price		SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black		Master	Inner	Galv	Black
<b>ELBOWS 90°</b>					<b>REDUCING ELBOWS 90° Cont</b>				
			Fig # 34E	Fig # 33E			Fig # 34RE	Fig # 33RE	
1/8	800	50	6.70	5.55	2-1/2 x 1-1/4	16	8		75.10
1/4	560	35	6.70	5.55	2-1/2 x 1-1/2	16	8	109.88	75.10
3/8	360	45	6.70	5.55	2-1/2 x 2	16	8	109.88	75.10
1/2	200	50	5.48	4.53	3 x 1-1/2	8	-		125.41
3/4	140	35	7.92	6.55	3 x 2	8	-	249.75	125.41
1	80	20	12.19	10.03	3 x 2-1/2	8	-	249.75	125.41
1-1/4	40	20	18.30	15.05	4 x 2	5	-		250.80
1-1/2	30	15	24.38	20.05	4 x 2-1/2	5	-		250.80
2	16	8	36.55	30.09	4 x 3	5	-		250.80
2-1/2	12	6	70.39	58.42	<b>ELBOWS 45°</b>				
3	7	-	107.25	89.00			Fig # 34F	Fig # 33F	
4	3	-	194.40	161.34	1/8	800	50	7.38	6.11
5	2	-		445.06	1/4	480	30	7.38	6.11
6	1	-	770.92	639.78	3/8	600	50	7.38	6.11
<b>REDUCING ELBOWS 90°</b>					<b>STREET ELBOWS 90°</b>				
			Fig # 34RE	Fig # 33RE			Fig # 34SE	Fig # 33SE	
1/4 x 1/8	640	40	9.54	6.65	1/8	960	60	7.38	6.11
3/8 x 1/8	560	70		6.65	1/4	560	35	7.38	6.11
3/8 x 1/4	480	60	9.73	6.65	3/8	320	40	7.38	6.11
1/2 x 1/4	400	50	7.38	6.10	1/2	240	60	6.70	5.55
1/2 x 3/8	200	50	7.38	6.10	3/4	140	35	9.73	8.07
3/4 x 1/4	160	40	9.73	8.07	1	80	40	14.42	11.99
3/4 x 3/8	160	40	9.73	8.07	1-1/4	50	25	25.16	20.88
3/4 x 1/2	160	40	9.73	8.07	1-1/2	32	8	30.84	25.58
1 x 1/4	100	25		12.25	2	16	8	43.59	36.17
1 x 3/8	100	25	14.77	12.25	2-1/2	10	-	97.20	80.67
1 x 1/2	100	25	14.77	12.25	3	7	-	150.83	125.17
1 x 3/4	100	25	14.77	12.25	4	3	-	251.40	208.62
1-1/4 x 1/2	80	20	23.79	19.75					
1-1/4 x 3/4	60	15	23.79	19.75					
1-1/4 x 1	40	10	23.79	19.75					
1-1/2 x 1/2	60	15	29.50	24.48					
1-1/2 x 3/4	40	10	29.50	24.48					
1-1/2 x 1	40	10	29.50	24.48					
1-1/2 x 1-1/4	32	8	29.50	24.48					
2 x 1/2	40	10	43.59	36.16					
2 x 3/4	40	10	43.59	36.16					
2 x 1	28	14	43.59	36.16					
2 x 1-1/4	20	10	43.59	36.16					
2 x 1-1/2	20	10	43.59	36.16					

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price		SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black		Master	Inner	Galv	Black
<b>STREET ELBOWS 45°</b>					<b>REDUCING TEES</b>				
			Fig # 34SF	Fig # 33SF				Fig # 34RT	Fig # 33RT
1/8	1120	70	12.50	8.35	3/8 x 1/4	160	40		11.17
1/4	640	40	12.50	8.35	1/2 x 1/8	160	20		9.47
3/8	600	50	12.50	8.35	1/2 x 1/4	160	20	11.40	9.47
1/2	260	65	10.07	8.35	1/2 x 3/8	160	20	11.40	9.47
3/4	160	40	15.42	12.79	3/4 x 1/4	100	25	14.99	11.41
1	100	25	20.46	16.95	3/4 x 3/8	100	25	14.99	11.86
1-1/4	40	10	33.51	27.83	3/4 x 1/2	80	20	14.99	10.29
1-1/2	40	10	40.21	33.36	1 x 1/4	80	20	21.14	17.53
2	24	12	67.03	55.64	1 x 3/8	60	15	21.14	17.53
2-1/2	10	5		111.25	1 x 1/2	60	15	19.21	15.80
3	6	-		166.90	1 x 3/4	48	12	19.21	15.80
4	4	-	669.19	250.36	1-1/4 x 3/8	40	20		26.42
<b>SIDE OUTLET ELBOWS 90°</b>					<b>TEES</b>				
			Fig # 34OE	Fig # 33OE					
3/4	80	20	42.46		1-1/4 x 1/2	40	20	31.85	26.42
<b>TEES</b>					<b>TEES</b>				
			Fig # 34T	Fig # 33T	1-1/4 x 3/4	40	20	31.85	26.42
1/8	640	90	8.39	6.96	1-1/4 x 1	40	20	31.85	26.42
1/4	360	45	8.39	6.96	1-1/2 x 1/2	36	18	40.21	33.37
3/8	200	25	8.39	6.96	1-1/2 x 3/4	30	15	36.55	30.10
1/2	140	35	7.00	5.77	1-1/2 x 1	30	15	40.21	33.37
3/4	80	20	10.04	8.26	1-1/2 x 1-1/4	24	12	40.21	33.37
1	50	25	15.83	13.04	2 x 3/8	20	10		47.28
1-1/4	28	14	23.75	19.57	2 x 1/2	20	10	56.97	47.28
1-1/2	24	12	30.48	25.07	2 x 3/4	20	10	51.79	42.63
2	15	-	45.70	37.63	2 x 1	20	10	51.79	42.63
2-1/2	10	-	107.25	89.00	2 x 1-1/4	16	8	56.97	47.28
3	6	-	140.77	116.81	2 x 1-1/2	16	8	56.97	47.28
4	2	-	254.74	211.40	2-1/2 x 1/2	16	-	117.31	97.36
5	2	-		556.32	2-1/2 x 3/4	16	-	117.31	97.36
6	1	-	904.95	751.05	2-1/2 x 1	16	-	117.31	97.36
					2-1/2 x 1-1/4	10	-	117.31	97.36
					2-1/2 x 1-1/2	10	-	117.31	97.36
					2-1/2 x 2	10	-	117.31	97.36
					3 x 3/4	6	-		139.08
					3 x 1	6	-		139.08
					3 x 1-1/4	6	-		139.08
					3 x 1-1/2	6	-	167.58	139.08
					3 x 2	6	-	167.58	139.08
					3 x 2-1/2	6	-	167.58	139.08
					4 x 1	4	-	318.42	
					4 x 2	3	-	318.42	264.25
					4 x 2-1/2	3	-	318.42	264.25
					4 x 3	3	-	318.42	264.25

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price		SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black		Master	Inner	Galv	Black
<b>REDUCING TEES Cont</b>					<b>REDUCING TEES Cont</b>				
			Fig # 34RT	Fig # 33RT			Fig # 34RT	Fig # 33RT	
1/2 x 3/8 x 1/2	160	20	11.40		2 x 1/2 x 2	16	8	56.97	47.28
3/4 x 1/2 x 1/2	100	25	13.75	11.41	2 x 3/4 x 2	16	8	56.97	47.28
3/4 x 1/2 x 3/4	80	20	13.75	11.41	2 x 1 x 1	24	12	56.97	47.28
3/4 x 1/2 x 1	72	18		17.53	2 x 1 x 1-1/2	20	10		47.28
1 x 1/2 x 1/2	80	20	21.14	17.53	2 x 1 x 2	16	8	56.97	47.28
1 x 1/2 x 3/4	80	20	21.14	17.53	2 x 1-1/4 x 1	16	8		47.28
1 x 1/2 x 1	60	15	21.14	17.53	2 x 1-1/4 x 1-1/4	16	8	56.97	47.28
1 x 3/4 x 1/2	80	20	21.14	17.53	2 x 1-1/4 x 1-1/2	16	8	56.97	47.28
1 x 3/4 x 3/4	60	15	21.14	17.53	2 x 1-1/4 x 2	16	8		47.28
1 x 3/4 x 1	60	15	21.14	17.53	2 x 1-1/2 x 3/4	20	10		47.28
1-1/4 x 1/2 x 1/2	50	25		26.43	2 x 1-1/2 x 1	20	10	56.97	47.28
1-1/4 x 1/2 x 3/4	50	25		26.43	2 x 1-1/2 x 1-1/4	16	8	56.97	47.28
1-1/4 x 1/2 x 1	40	20		26.43	2 x 1-1/2 x 1-1/2	16	8	56.97	47.28
1-1/4 x 1/2 x 1-1/4	40	20	31.85	26.43	2 x 1-1/2 x 2	16	8	56.97	47.28
1-1/4 x 3/4 x 1/2	40	10		26.43	<b>BULL HEAD TEES</b>				
1-1/4 x 3/4 x 3/4	40	10		26.43			Fig # 34BT	Fig # 33BT	
1-1/4 x 3/4 x 1	40	10	31.85	26.43	1/2 x 3/4	100	25	13.75	11.41
1-1/4 x 3/4 x 1-1/4	40	10	31.85	26.43	1/2 x 1	80	40	21.24	17.53
1-1/4 x 1 x 1/2	40	20	31.85	26.43	3/4 x 1	60	15	21.14	17.53
1-1/4 x 1 x 3/4	40	20	31.85	23.85	1 x 1-1/4	32	8	31.85	26.42
1-1/4 x 1 x 1	40	20	31.85	26.43	1 x 1-1/2	30	15	40.21	33.37
1-1/4 x 1 x 1-1/4	40	20	31.85	26.43	1 x 2	24	12		47.28
1-1/2 x 1/2 x 3/4	48	12		33.36	1-1/4 x 1-1/2	20	10	40.21	33.37
1-1/2 x 1/2 x 1-1/2	24	12	40.21	33.37	1-1/4 x 2	16	8		47.28
1-1/2 x 3/4 x 1/2	30	15		33.37	1-1/2 x 2	16	8	56.97	47.28
1-1/2 x 3/4 x 3/4	30	15		33.37	2 x 2-1/2	12	6		97.36
1-1/2 x 3/4 x 1-1/4	24	12	40.21	33.37	<b>CROSSES</b>				
1-1/2 x 3/4 x 1-1/2	24	12	40.21	33.37			Fig # 34X	Fig # 33X	
1-1/2 x 1 x 1/2	30	15		33.37	1/8	320	20		13.91
1-1/2 x 1 x 3/4	30	15		33.37	1/4	320	40	16.75	13.91
1-1/2 x 1 x 1	30	15	40.21	33.37	3/8	160	40	16.75	13.91
1-1/2 x 1 x 1-1/4	24	12		33.37	1/2	120	30	16.75	13.91
1-1/2 x 1 x 1-1/2	24	12		33.37	3/4	80	20	23.46	19.46
1-1/2 x 1-1/4 x 1/2	24	12	40.21	33.37	1	40	20	31.85	26.42
1-1/2 x 1-1/4 x 3/4	24	12	40.21	33.37	1-1/4	20	-	46.92	38.95
1-1/2 x 1-1/4 x 1	24	12	40.21	33.37	1-1/2	18	-	63.70	52.86
1-1/2 x 1-1/4 x 1-1/4	24	12	40.21	33.37	2	10	-	87.14	72.32
1-1/2 x 1-1/4 x 1-1/2	24	12	40.21	33.37	2-1/2	6	-	204.79	157.32
1-1/2 x 1-1/4 x 2	16	8		47.29	3	4	-	282.21	223.45
					4	2	-	524.49	414.96

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price		SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black		Master	Inner	Galv	Black
<b>FLOOR FLANGES</b>					<b>REDUCING COUPLINGS</b>				
			Fig # 34FF	Fig # 33FF			Fig # 34RC	Fig # 33RC	
1/2	200	50	17.43	14.46	1/4 x 1/8	600	50	5.72	4.73
3/4	120	30	24.14	20.03	3/8 x 1/8	420	35	5.72	4.73
1	80	20	28.15	23.37	3/8 x 1/4	360	30	5.72	4.73
1-1/4	60	15	40.21	33.37	1/2 x 1/8	400	50	5.72	4.73
1-1/2	48	12	46.92	38.94	1/2 x 1/4	400	50	5.72	4.73
2	32	8	56.97	47.29	1/2 x 3/8	320	40	5.72	4.73
<b>CAPS</b>					3/4 x 1/8	280	35	8.03	6.66
			Fig # 34C	Fig # 33C	3/4 x 1/4	240	30	8.04	6.66
1/8	1920	120	4.73	3.90	3/4 x 3/8	240	60	8.04	6.66
1/4	1280	80	4.73	3.90	3/4 x 1/2	240	60	7.31	6.01
3/8	720	60	4.73	3.90	1 x 1/4	180	45	10.72	8.89
1/2	600	75	4.28	3.51	1 x 3/8	120	30	10.72	8.89
3/4	320	40	5.19	4.28	1 x 1/2	120	30	10.72	8.89
1	200	25	7.30	6.01	1 x 3/4	100	25	9.74	8.03
1-1/4	100	25	10.68	8.79	1-1/4 x 3/8	100	25	15.75	13.05
1-1/2	100	25	14.01	11.53	1-1/4 x 1/2	100	25	15.75	13.05
2	60	15	19.49	16.04	1-1/4 x 3/4	100	25	15.75	13.05
2-1/2	40	20	43.59	36.16	1-1/4 x 1	60	15	15.75	13.05
3	24	12	60.34	50.08	1-1/2 x 3/8	60	15		15.57
4	12	6	100.57	83.45	1-1/2 x 1/2	60	15	18.78	15.57
5	10	-		221.16	1-1/2 x 3/4	60	15	18.78	15.57
6	5	-	399.61	319.20	1-1/2 x 1	60	15	18.78	15.57
<b>COUPLINGS - BANDED</b>					1-1/2 x 1-1/4	48	12	18.78	15.57
			Fig # 34CP	Fig # 33CP	2 x 3/8	56	14		23.66
1/8	1120	70	5.01	4.16	2 x 1/2	48	12	28.49	23.66
1/4	640	40	5.01	4.16	2 x 3/4	48	12	28.49	23.66
3/8	480	40	5.01	4.16	2 x 1	48	12	28.49	23.66
1/2	320	40	4.28	3.51	2 x 1-1/4	28	14	28.49	23.66
3/4	200	50	5.79	4.76	2 x 1-1/2	24	12	28.49	23.66
1	100	25	9.74	8.03	2-1/2 x 3/4	25	-		44.50
1-1/4	80	20	13.70	11.30	2-1/2 x 1	25	-	53.64	44.50
1-1/2	48	12	16.75	13.81	2-1/2 x 1-1/4	25	-	53.64	44.50
2	24	12	25.92	21.33	2-1/2 x 1-1/2	25	-	53.64	44.50
2-1/2	16	8	50.28	41.72	2-1/2 x 2	25	-	53.64	44.50
3	16	-	73.72	61.20	3 x 1	20	-	83.80	69.54
4	6	-	120.66	100.13	3 x 1-1/4	20	-		69.54
6	3	-	368.68	305.97	3 x 1-1/2	20	-	83.80	69.54
					3 x 2	20	-	83.80	69.54
					3 x 2-1/2	12	-	83.80	69.54
					4 x 1-1/4	10	-		127.95
					4 x 1-1/2	10	-	154.17	127.95
					4 x 2	10	-	154.17	127.95
					4 x 2-1/2	10	-	154.17	127.95
					4 x 3	8	-	154.17	127.95
					6 x 4	3	-	518.54	433.21

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price		SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black		Master	Inner	Galv	Black
<b>LOCKNUTS</b>					<b>HEX BUSHINGS Cont</b>				
			Fig # 34LN	Fig # 33LN			Fig # 34HB	Fig # 33HB	
1/8	4000	250	5.75	4.56	2 x 1-1/2	80	20	19.81	16.32
1/2	800	100	4.39	4.56	2-1/2 x 3/4	60	15	36.89	30.59
3/4	480	60	4.39	3.62	2-1/2 x 1	60	15	36.89	30.59
1	320	40	5.38	4.46	2-1/2 x 1-1/4	60	15	36.89	30.59
1-1/4	240	30	7.05	5.84	2-1/2 x 1-1/2	48	12	36.89	30.59
1-1/2	180	45	9.04	7.51	2-1/2 x 2	48	12	36.89	30.59
2	100	25	14.08	11.68	3 x 1	40	10	53.64	44.50
<b>EXTENSION PIECES</b>					<b>PLUGS, SQUARE HEAD</b>				
			Fig # 34EP	Fig # 33EP			Fig # 34SP	Fig # 33SP	
1/2	400	50	11.74	8.35	1/8	4800	300	6.08	4.74
3/4	160	40	11.74		1/4	2400	150	6.08	4.74
<b>HEX BUSHINGS</b>									
			Fig # 34HB	Fig # 33HB	3/8	1600	100	6.08	4.74
1/4 x 1/8	1920	120	11.13	7.11	1/2	800	50	5.34	3.79
3/8 x 1/8	1200	75	11.13	7.11	3/4	360	30	7.08	4.87
3/8 x 1/4	1200	75	11.13	7.11	1	240	20	8.00	5.02
1/2 x 1/8	800	100	5.01	4.16	1-1/4	160	40	9.14	7.53
1/2 x 1/4	800	100	5.01	4.16	1-1/2	120	30	10.68	8.80
1/2 x 3/8	800	100	5.01	4.16	2	80	20	15.24	12.55
3/4 x 1/8	480	40	5.71	4.73	2-1/2	64	16	33.50	27.82
3/4 x 1/4	480	40	5.71	4.73	3	32	16	46.92	38.95
3/4 x 3/8	480	40	5.71	4.73	4	16	8	83.80	69.54
3/4 x 1/2	480	40	5.71	4.73	6	10	-	309.69	228.00
1 x 1/8	240	30		7.99					
1 x 1/4	240	30	8.41	6.96					
1 x 3/8	240	30	8.41	6.96					
1 x 1/2	240	30	7.62	6.28					
1 x 3/4	240	30	7.62	6.28					
1-1/4 x 1/4	120	30	13.42	11.13					
1-1/4 x 3/8	120	30	13.42	11.13					
1-1/4 x 1/2	120	30	13.42	11.13					
1-1/4 x 3/4	120	30	13.42	11.13					
1-1/4 x 1	120	30	12.19	10.03					
1-1/2 x 1/4	100	25	15.75	13.06					
1-1/2 x 3/8	100	25	15.75	13.06					
1-1/2 x 1/2	100	25	15.75	13.06					
1-1/2 x 3/4	100	25	15.75	13.06					
1-1/2 x 1	100	25	15.75	13.06					
1-1/2 x 1-1/4	100	25	15.75	13.06					
2 x 3/8	80	20		18.07					
2 x 1/2	80	20	21.77	18.07					
2 x 3/4	80	20	21.77	18.07					
2 x 1	80	20	21.77	18.07					
2 x 1-1/4	80	20	19.81	16.32					

# Malleable Iron Pipe Fittings 150#

## Raccords en fonte malléable 150#

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197.A153 ANSI B16.14, B16.39, ANSI/ASME B1.20.1

### 150 LB. STANDARD FITTINGS

SIZE	Case Quantity		List Price	
	Master	Inner	Galv	Black
<b>UNIONS, BRASS SEAT</b>				
			Fig # 34U	Fig # 33U
1/8	480	30	30.18	25.05
1/4	240	20	30.18	25.05
3/8	160	20	30.18	25.05
1/2	160	40	27.43	22.57
3/4	80	40	35.12	28.84
1	60	30	41.14	33.87
1-1/4	40	20	54.86	45.16
1-1/2	30	15	71.98	60.19
2	20	10	109.68	90.28
2-1/2	10	-	201.09	166.90
3	7	-	334.67	278.17
4	4	-	669.35	551.76
<b>RIGHT/LEFT COUPLINGS</b>				
			Fig # 34RL	Fig # 33RL
1/2	320	40	6.11	5.08
3/4	200	50	7.85	6.55
1	100	25	13.10	10.91



- METAL VALVES**
  - ⇒ BRASS PLUMBING & HEATING VALVES
  - ⇒ FIRE PROTECTION VALVES (cUL/FM APPROVED)
  - ⇒ GATE, GLOBE & CHECK VALVES
  - - BRONZE
  - ⇒ - CAST IRON
  - - FORGED STEEL
  - - CAST STEEL
  - - STAINLESS STEEL
  - COMMERCIAL & INDUSTRIAL BALL & BUTTERFLY VALVES
  - - BRONZE
  - - CARBON STEEL
  - - STAINLESS STEEL
  - - BRONZE, CARBON STEEL, STAINLESS STEEL, D.I. & CAST IRON
  - - D.I. & CAST IRON
  - ACTUATORS & CONTROLS
  
- METAL FITTINGS**
  - ⇒ COPPER FITTINGS
  - ⇒ THREADED BRONZE FITTINGS
  - ⇒ BRASS NIPPLES
  - ⇒ PRESS SYSTEM FITTINGS & VALVES
  - ⇒ BLACK & GALVANIZED MALLEABLE IRON FITTINGS 150#
  - BLACK MALLEABLE IRON FITTINGS 300#
  - GROOVED COUPLINGS & FITTINGS
  
- PLASTIC FITTINGS**
  - ⇒ ABS-DWV FITTINGS
  - ⇒ CPVC-GTS FGG PVF
  - ⇒ PVC SCH40 WHITE FITTINGS & VALVES
  - ⇒ ACORN PUSH-FIT FITTINGS
  - ⇒ SLIP-FIX REPAIR COUPLINGS
  
- THERMOPLASTIC**
  - ⇒ CHEMTROL PVF
  - - PVC SCH80 VALVES
  - - PVC SCH80 FITTINGS
  - - CPVC SCH80 FITTINGS & VALVES
  - - PP SCH80 (BLACK & NATURAL) PVF
  - - PVDF SCH80 (RED & NATURAL) PVF
  - - THERMO-FUSION EQUIPMENT (FOR PP & PVDF)
  
- IRRIGATION**
  - ⇒ MICRO, LOW FLOW & DRIP DEVICES AND TUBING
  
- INSULATION**
  - IMCOA PIPE & SHEET INSULATION (Ontario, Québec, Atlantic)
  - ■ PRODUCT STOCKED IN OUR AURORA WAREHOUSE
  - ⇒ ■ PRODUCT STOCKED IN AURORA & B.C. WAREHOUSES



**Headquarters & Warehouse**  
 280A Industrial Parkway South  
 Aurora, ON L4G 3T9

**Vancouver Warehouse**  
 #102 - 18835 86th Avenue  
 Surrey, BC V4N 3P3

T: (905)727-5545 T: 1-800-268-3509 F: (905)727-4088