

THDBRZ-1006

Effective: October 2, 2006
Supercedes THDBRZ-0606 of June 5, 2006
GST Extra

THDBRZ-1006

En vigueur le 2 octobre 2006
Remplace THDBRZ-0506 du 5 juin 2006
TPS en sus



SMITH-COOPER[®]
INTERNATIONAL

**Threaded
Bronze Fittings
125#**

**Raccords Filetés
de Bronze
125#**

NCI Marketing Inc.

Headquarters & Warehouse
280A Industrial Parkway South
Aurora, ON L4G 3T9

Vancouver Warehouse
#102 - 18935 96th Avenue
Surrey, BC V4N 3P3

T: (905)727-5545 T: 1-800-268-3509 F: (905)727-4088

SCI THD. BRONZE FITTINGS

	Page
Caps	6
Couplings	4
Crosses	4
Elbows	3
HEX Bushings	5
Locknuts	6
Square Plugs	6
Tees	4
Unions	6

RACCORDS FILETÉS DE BRONZE SCI

	Page
Bouchons	6
Capuchons	6
Contre-écrou	6
Coudes	3
Croix	4
Manchons	4
Réductions HEX	5
Tés	4
Unions	6

Bronze Fittings

125#

Bronze Threaded Fittings meet the following specifications: ASTM B62, ASME B16.15, ANSI/ASME B1.20.1

125# THREADED BRONZE FITTINGS / RACCORDS FILETÉS DE BRONZE 125#

SIZE/DIMENSIONS	Case / Caisse		List Liste
	Master Grand	Inner Interne	
ELBOWS / COUDES 90°			
COUDES 90°			Fig.# 36E
1/8	800	50	18.15
1/4	560	35	18.15
3/8	360	45	18.15
1/2	200	50	19.60
3/4	140	35	25.95
1	80	20	41.80
1-1/4	40	20	67.50
1-1/2	30	15	83.70
2	16	8	134.95
2-1/2	12	6	368.60
3	7	-	668.50
4	4	-	1336.45
REDUCING ELBOWS 90°			
COUDES RÉDUCTEURS 90°			Fig.# 36RE
3/8 x 1/8	640	40	28.45
3/8 x 1/4	560	70	28.45
1/2 x 1/8	400	50	30.75
1/2 x 1/4	400	50	30.75
1/2 x 3/8	200	50	30.75
3/4 x 3/8	160	40	41.85
3/4 x 1/2	160	40	41.85
1 x 1/2	160	40	73.05
1 x 3/4	100	25	73.05
1-1/4 x 1/2	80	20	111.05
1-1/4 x 3/4	60	15	111.05
1-1/4 x 1	40	10	111.05
1-1/2 x 1/2	60	15	141.65
1-1/2 x 3/4	40	10	141.65
1-1/2 x 1	40	10	141.65
1-1/2 x 1-1/4	32	8	141.65
2 x 1/2	40	10	252.30
2 x 3/4	40	10	252.30
2 x 1	28	14	252.30
2 x 1-1/4	20	10	252.30
2 x 1-1/2	20	10	252.30
2-1/2 x 1-1/2	16	8	516.80
2-1/2 x 2	16	8	516.80
3 x 2	16	8	1111.45

SIZE/DIMENSIONS	Case / Caisse		List Liste
	Master Grand	Inner Interne	
ELBOWS 45°			
COUDES 45°			Fig.# 36F
1/8	800	50	19.75
1/4	480	30	19.75
3/8	600	50	19.75
1/2	200	50	21.35
3/4	160	40	32.30
1	80	20	54.75
1-1/4	40	20	86.95
1-1/2	32	8	109.25
2	24	12	177.40
2-1/2	15	-	389.00
3	10	-	719.65
4	3	-	1608.75
STREET ELBOWS 90°			
COUDES RACCORDS 90°			Fig.# 36SE
1/8	960	60	24.00
1/4	560	35	24.00
3/8	320	40	24.00
1/2	300	75	25.95
3/4	160	40	35.40
1	80	40	58.05
1-1/4	50	25	106.00
1-1/2	36	9	115.60
2	20	10	196.05
2-1/2	10	-	441.14
3	7	-	912.22
4	3	-	1206.76
STREET ELBOWS 45°			
COUDES RACCORDS 45°			Fig.# 36SF
1/8	1120	70	26.90
1/4	640	40	26.90
3/8	600	50	26.90
1/2	300	75	29.05
3/4	150	40	41.75
1	100	25	70.75
1-1/4	40	10	109.25
1-1/2	40	10	162.35
2	24	12	253.66

Bronze Fittings

125#

Bronze Threaded Fittings meet the following specifications: ASTM B62, ASME B16.15, ANSI/ASME B1.20.1

125# THREADED BRONZE FITTINGS / RACCORDS FILETÉS DE BRONZE 125#

SIZE/DIMENSIONS	Case / Caisse		List Liste
	Master Grand	Inner Interne	
TEES			
			Fig.# 36T
TÉS			
1/8	640	80	20.95
1/4	400	50	20.95
3/8	240	30	20.95
1/2	160	40	22.65
3/4	120	30	32.30
1	50	25	58.05
1-1/4	28	14	99.60
1-1/2	30	15	112.40
2	15	-	186.20
2-1/2	10	-	489.16
3	6	-	897.45
4	2	-	2228.50
REDUCING TEES			
			Fig.# 36RT
TÉS RÉDUCTEURS			
1/4 x 1/4 x 1/8	400	25	35.50
3/8 x 3/8 x 1/8	240	60	35.50
3/8 x 3/8 x 1/4	160	40	35.50
1/2 x 1/2 x 1/4	200	25	38.35
1/2 x 1/2 x 3/8	200	25	38.35
3/4 x 3/4 x 1/2	120	30	38.65
3/4 x 1/2 x 1/2	120	30	46.52
3/4 x 1/2 x 3/4	120	30	38.65
1 x 1 x 1/4	100	25	107.20
1 x 1 x 1/2	60	15	107.20
1 x 1 x 3/4	60	15	107.20
1 x 1/2 x 1/2	80	20	107.20
1 x 1/2 x 3/4	80	20	128.00
1 x 1/2 x 1	60	15	128.00
1 x 3/4 x 1/2	80	20	107.20
1 x 3/4 x 3/4	60	15	107.20
1 x 3/4 x 1	60	15	107.20
1-1/4 x 1/2 x 1-1/4	40	20	153.15
1-1/4 x 1 x 1	40	20	153.15
1-1/4 x 1-1/4 x 1/2	40	20	153.15
1-1/4 x 1-1/4 x 3/4	40	20	153.15
1-1/4 x 1-1/4 x 1	40	20	153.15
1-1/2 x 1-1/2 x 1/2	36	18	206.30
1-1/2 x 1-1/2 x 3/4	30	15	206.30
1-1/2 x 1-1/2 x 1	30	15	206.30
1-1/2 x 1-1/2 x 1-1/4	30	15	206.30

SIZE/DIMENSIONS	Case / Caisse		List Liste
	Master Grand	Inner Interne	
REDUCING TEES Cont.			
			Fig.# 36RT
TÉS RÉDUCTEURS Suite			
2 x 1 x 1	24	12	345.15
2 x 2 x 1/2	24	12	345.15
2 x 2 x 3/4	24	12	345.15
2 x 2 x 1	24	12	345.15
2 x 2 x 1-1/4	20	10	345.15
2 x 2 x 1-1/2	16	8	345.15
2-1/2 x 2-1/2 x 2	10	-	897.45
3 x 3 x 1	6	-	1642.15
3 x 3 x 1-1/2	6	-	1642.15
3 x 3 x 2	6	-	1642.15
4 x 4 x 2	3	-	2485.15
BULLHEAD TEE			
			Fig.# 36BT
1/2 x 1/2 x 3/4	100	25	46.02
CROSSES			
			Fig.# 36X
CROIX			
1/4	240	20	39.80
3/8	160	20	39.80
1/2	160	40	53.20
3/4	80	20	75.80
1	60	30	121.70
1-1/4	40	20	206.10
1-1/2	30	15	273.00
2	20	10	559.70
COUPLINGS			
			Fig.# 36CP
MANCHONS			
1/8	1120	70	15.00
1/4	640	40	15.00
3/8	600	50	15.00
1/2	320	40	16.20
3/4	200	50	22.65
1	100	25	38.65
1-1/4	80	20	64.25
1-1/2	48	12	83.70
2	24	12	138.10
2-1/2	16	8	260.00
3	16	-	430.75
4	6	-	889.15

Bronze Fittings

125#

Bronze Threaded Fittings meet the following specifications: ASTM B62, ASME B16.15, ANSI/ASME B1.20.1

125# THREADED BRONZE FITTINGS / RACCORDS FILETÉS DE BRONZE 125#

SIZE/DIMENSIONS	Case / Caisse		List Liste
	Master Grand	Inner Interne	
REDUCING COUPLINGS			
MANCHONS RÉDUCTEURS			
			Fig.# 36RC
1/4 x 1/8	800	50	17.80
3/8 x 1/8	560	35	17.80
3/8 x 1/4	480	30	17.80
1/2 x 1/8	400	50	25.85
1/2 x 1/4	400	50	19.25
1/2 x 3/8	320	40	19.25
3/4 x 1/4	240	30	35.40
3/4 x 3/8	200	50	25.85
3/4 x 1/2	240	60	25.85
1 x 1/4	180	45	58.00
1 x 3/8	120	30	58.00
1 x 1/2	120	30	42.80
1 x 3/4	100	25	42.80
1-1/4 x 1/2	100	25	93.15
1-1/4 x 3/4	100	25	83.70
1-1/4 x 1	60	15	83.70
1-1/2 x 1/2	60	15	115.65
1-1/2 x 3/4	60	15	115.65
1-1/2 x 1	60	15	106.00
1-1/2 x 1-1/4	48	12	106.00
2 x 1/2	56	14	173.40
2 x 3/4	56	14	173.40
2 x 1	56	14	173.40
2 x 1-1/4	28	14	164.05
2 x 1-1/2	24	12	164.05
2-1/2 x 2	25	-	319.66
3 x 2	20	-	661.40
3 x 2-1/2	15	-	661.40
4 x 2	10	-	1418.95
4 x 3	6	-	1418.95
HEX BUSHINGS			
RÉDUCTIONS HEX			
			Fig.# 36HB
1/4 x 1/8	1920	120	11.95
3/8 x 1/4	1200	75	11.95
1/2 x 1/8	800	100	16.20
1/2 x 1/4	800	100	12.90
1/2 x 3/8	800	100	12.90
3/4 x 1/8	600	50	23.55
3/4 x 1/4	600	50	22.60

SIZE/DIMENSIONS	Case / Caisse		List Liste
	Master Grand	Inner Interne	
HEX BUSHINGS Cont			
RÉDUCTIONS HEX Suite			
			Fig.# 36HB
3/4 x 3/8	600	50	16.20
3/4 x 1/2	600	50	16.20
1 x 1/4	400	50	33.60
1 x 3/8	400	50	32.35
1 x 1/2	400	50	22.60
1 x 3/4	400	50	22.60
1-1/4 x 1/2	120	30	54.80
1-1/4 x 3/4	120	30	38.70
1-1/4 x 1	120	30	38.70
1-1/2 x 1/4	100	25	73.60
1-1/2 x 3/8	100	25	73.60
1-1/2 x 1/2	100	25	73.60
1-1/2 x 3/4	100	25	70.75
1-1/2 x 1	100	25	54.75
1-1/2 x 1-1/4	100	25	54.75
2 x 1/2	80	20	107.06
2 x 3/4	80	20	107.06
2 x 1	80	20	102.90
2 x 1-1/4	80	20	69.15
2 x 1-1/2	80	20	69.15
2-1/2 x 3/4	60	15	267.65
2-1/2 x 1	60	15	267.65
2-1/2 x 1-1/4	60	15	256.94
2-1/2 x 1-1/2	60	15	212.82
2-1/2 x 2	60	15	212.82
3 x 1-1/2	48	12	450.16
3 x 2	48	12	375.13
3 x 2-1/2	48	12	375.13
4 x 2	20	5	1128.28
4 x 2-1/2	20	5	822.17
4 x 3	20	5	822.17

Bronze Fittings

125#

Bronze Threaded Fittings meet the following specifications: ASTM B62, ASME B16.15, ANSI/ASME B1.20.1

125# THREADED BRONZE FITTINGS / RACCORDS FILETÉS DE BRONZE 125#

SIZE/DIMENSIONS	Case / Caisse		List Liste
	Master Grand	Inner Interne	
CAPS			
CAPUCHONS			Fig.# 36C
1/8	1920	120	12.00
1/4	1280	80	12.00
3/8	720	60	12.00
1/2	600	75	13.20
3/4	320	40	17.15
1	280	35	29.20
1-1/4	100	25	51.40
1-1/2	100	25	67.50
2	72	18	115.55
2-1/2	40	20	245.25
3	24	12	452.90
4	12	6	866.93
SQUARE PLUG, CORED			
BOUCHON			Fig.# 36SC
1/8	4800	300	15.00
1/4	2400	150	15.00
3/8	1600	100	15.00
1/2	800	50	13.50
3/4	360	30	16.20
1	240	20	28.85
1-1/4	160	40	35.10
1-1/2	120	30	45.25
2	80	20	73.90
2-1/2	64	16	145.00
4	16	8	616.90
UNIONS			
UNIONS			Fig.# 36U
1/8	480	30	47.50
1/4	2000	125	47.50
3/8	1500	125	47.50
1/2	500	100	51.30
3/4	480	60	70.75
1	320	40	93.15
1-1/4	240	30	134.95
1-1/2	180	45	160.65
2	100	25	247.25
2-1/2	56	14	795.24
3	7	-	1476.36
4	4	-	3288.77

SIZE / DIMENSION	Case / Caisse		List Liste
	Master Grand	Inner Interne	
LOCKNUTS			
ÉCROUS			Fig.# 36LN
1/4	4000	250	11.95
3/8	1500	125	11.95
1/2	800	100	11.95
3/4	480	60	16.20
1	320	40	16.20
1-1/4	240	30	22.60
1-1/2	180	45	39.20
2	100	25	50.85

NOTES



METAL VALVES

- ** BRASS PLUMBING & HEATING VALVES
- ** FIRE PROTECTION VALVES (cUL/FM APPROVED)
- * BRONZE & IRON GATE, GLOBE & CHECK VALVES
- * COMMERCIAL & INDUSTRIAL BALL & BUTTERFLY VALVES
- * - BRONZE
- * - CARBON STEEL
- * - STAINLESS STEEL
- * - BRONZE, CARBON STEEL, STAINLESS STEEL, D.I. & CAST IRON
- * - D.I. & CAST IRON
- * ACTUATORS & CONTROLS

METAL FITTINGS

- ** COPPER FITTINGS
- ** THREADED BRONZE FITTINGS
- ** BRASS NIPPLES
- ** BLACK & GALVANIZED MALLEABLE IRON FITTINGS 150#
- * BLACK MALLEABLE IRON FITTINGS 300#

PLASTIC FITTINGS

- ** ABS-DWV FITTINGS
- ** CPVC-CTS FGG PVF
- ** PVC SCH40 WHITE FITTINGS & VALVES
- ** ACORN PUSH-FIT FITTINGS
- ** SLIP-FIX REPAIR COUPLINGS

THERMOPLASTIC

- CHEMTROL PVF
- ** - PVC SCH80 VALVES
- * - PVC SCH80 FITTINGS
- * - CPVC SCH80 FITTINGS & VALVES
- * - PP SCH80 (BLACK & NATURAL) PVF
- * - PVDF SCH80 (RED & NATURAL) PVF
- * - THERMO-FUSION EQUIPMENT (FOR PP & PVDF)

INSULATION

- * IMCOA PIPE & SHEET INSULATION (Ontario, Québec, Atlantic)

IRRIGATION

- ** MICRO, LOW FLOW & DRIP DEVICES AND TUBING

* = PRODUCT STOCKED IN OUR AURORA WAREHOUSE

** = PRODUCT STOCKED IN BOTH WAREHOUSES



Headquarters & Warehouse
280A Industrial Parkway South
Aurora, ON L4G 3T9

Vancouver Warehouse
#102 - 18935 96th Avenue
Surrey, BC V4N 3P3

T: (905)727-5545 T: 1-800-268-3509 F: (905)727-4088